MINIMUM STANDARD REQUIREMENTS FOR THE MEDICAL COLLEGE FOR 100 ADMISSIONS ANNUALLY REGULATIONS, 1999



MEDICAL COUNCIL OF INDIA POCKET-14, SECTOR – 8, DWARKA – 1 NEW DELHI - 110077

Phone : 011-25367033, 25367035, 25367036 Fax: 011-25367024,25367025

(PUBLISHED IN PART III, SECTION 4 OF THE GAZETTE OF INDIA DATED THE $29^{\rm TH}$ APRIL 1999)

MEDICAL COUNCIL OF INDIA New Delhi, dated the 30th March 1999

No. MCI 35(1)98-med (ii) In exercise of the powers conferred by section 33 of the Indian Medical Council Act, 1956 (102 of 1956), the Medical Council of India with the previous sanction of the Central Government, hereby makes the following regulations namely:-

- 1. (i) Short title and commencement: (10) These regulations may be called the "Minimum requirements for 100 M.B.B.S. Admissions annually Regulations, 1999.
 - (ii) They shall come into force on the date of their publication in the Official Gazette.
- 2. Objective :- the objective of these regulations is to prescribe for a medical college and Medical Institution approved for hundred admissions of MBBS students annually, the minimum requirements of accommodation in the college and its associated teaching hospitals, staff (teaching and technical both) and equipment in the college departments and hospitals.
- 3. Every medical college and Medical Institution for 100 M.B.B.S admissions annually shall have the following departments, namely :-
 - (1) HUMAN ANATOMY
 - (2) HUMAN PHYSIOLOGY INCLUDING BIOPHYSICS
 - (3) BIOCHEMISTRY
 - (4) PATHOLOGY (INCLUDING BLOOD BANK)
 - (5) MICROBIOLOGY
 - (6) PHARMACOLOGY
 - (7) FORENSIC MEDICINE INCLUDING TOXICOLOGY
 - (8) COMMUNITY MEDICINE
 - (9) MEDICINE
 - (10) PAEDIATRICS
 - (11) PSYCHIATRY
 - (12) DERMATOLOGY, VENEREALOGY AND LEPROSY
 - (13) TUBERCULOSIS AND RESPIRATORY DISEASES
 - (14) SURGERY INCLUDING PAEDIATRIC SURGERY
 - (15) ORTHOPAEDICS
 - (16) RADIO-DIAGNOSIS
 - (17) RADIOTHERAPY
 - (18) OTO-RHINOLARYNGOLOGY
 - (19) OPHTHALMOLOGY
 - (20) OBSTETRICS AND GYNAECOLOGY
 - (21) DENTISTRY

Beside the above-said departments the Medical colleges and Medical institution running Postgraduate degree/diploma courses in various specialties may have other departments to meet teaching needs of the college or Medical Institution and healthcare needs of the public.

4. Every Medical college and Medical institution and its associated teaching hospitals for 100 MBBS admissions annually shall have the accommodation for teaching and technical staff and equipment for each department as given in the Schedule-I, II, III respectively annexed with these regulations.

SCHEDULE I ACCOMMODATION IN THE MEDICAL COLLEGE AND ITS ASSOCIATED TEACHING HOSPITALS

A-COLLEGE

A.1 GENERAL:

A.1.1 CAMPUS

The medical college or medical institution shall be housed in a unitary campus near its teaching hospital having room for future expansion. However the existing medical colleges shall make efforts to have their teaching hospital within a radius of five kilometer of the campus.

A.1.2 Administrative block.

Accommodation shall be provided for – Principal/Dean's office (36 Sq.m.), staff room (54 sq.m.), college council room (80 Sq.m.) office superintendent's room (10 Sq.m.), Office (150 Sq.m.), record room (100 Sq.m.), examination hall (300 Sq.m.), separate common room for Male and Female students with attached toilets (30 Sq.m.each), cafeteria (40-50 Sq.m.).

A.1.3 College Council:

Every medical college or Medical Institution shall have a College Council comprising of the Head of departments as members and Principal/Dean as Chairperson. The Council shall meet at least four times in a year to draw up the details of curriculum and training programme, enforcement of discipline and other academic matters. The Council shall also organise interdepartmental meetings like grand rounds, statistical meetings and clinico pathological meetings including periodical research review in the Institution regularly.

A.1.4. Central library

There shall be an air-conditioned Central Library (800 Sq.m) with seating arrangement for at least 100 students for reading and having good lighting and ventilation and space for stocking and display of books and journals. There shall be one room for 100 students inside and one room for 50 students outside. It should have not less than 7000 text and reference books. In a new medical college the total number of books should be proportionately divided on yearly basis in five years. The number of journals shall be 100 out of which one-third shall be foreign journals and subscribed on continuous basis. The number of copies of textbooks in each subject of undergraduate teaching shall be ten.

There shall be provision for –

a) Staff reading room for 20 persons;

- b) Rooms for librarian and other staff;
- c) Room for daftaries and book binders;
- d) Microfilm reading room;
- e) Journal room;
- f) Room for copying facilities;
- g) Video and Cassette room (desirable);
- h) Air-conditioned Computer room with Medlar and Internet facility.

A.1.5 Lecture theatre

There shall be a minimum of four lecture theatres of gallery type in the college or Medical Institution three with seating capacity for 120 students and one with seating capacity for 250 students. These shall be built with good acoustics. Lecture Theatres shall be provided with necessary independent audio visual aids including over-head projector, slide projector and a microphone. These lecture theatres are to be shared by various departments.

A.1.6 <u>Auditorium/Examination Hall:</u>

There shall be an auditorium where 500-700 persons could be seated and an examination hall, preferably air-conditioned for atleast 250 students.

A.1.7 Central Photographic Section:

Central photographic and audiovisual sections with accommodation for studio, dark room, enlarging and Photostat work. Accommodation shall be provided for Artist and Medical Illustrators and Modellers. Facilities for microphotography and mounting shall be provided.

A.1.8. Central Workshop:

There shall be central workshop having facilities for repair of mechanical, electrical and A/c and Refrigeration equipments of college and the hospitals. It shall be manned by qualified personnel.

A.1.9. Animal house

There shall be a Central Animal House (135 Sq.m.area) for maintenance, breeding and supply of animals and facilities for experimental etc.

A.1.10.Central Incineration Plant:

There shall be a Central incineration plant commensurate with the hospital bed strength.

A.1.11 Gas Plant:

There shall be a Central Gas Plant or Gas supply unit.

A1.12. Statistical Unit

There shall be a centralized computerized statistical unit.

A.1.13. Medical Education Unit :

There shall be a Medical Education Unit or Department for faculty development and providing teaching or learning resource material.

A.1.14 Research work:

Space as indicated in the concerned departments shall be provided in each department, duly furnished and equipped for research work and further expansion of its activities.

A.1.15.Intercom Network:

Intercom network including paging and bleepsystem between various sections, hospitals and college shall be provided for better services, coordination and patient care.

A.1.16.Playground and Gymnasium:

There shall be a play ground and Gymnasium for the staff and students. A qualified physical education instructor shall look after the sports activities and maintenance.

A.1.17 Electricity:

There shall be continuous electricity supply, with adequate number of, as well as standby UPS or Generator arrangements must be made so that electricians are available round the clock.

A.1.18 Sanitation and water supply:

Adequate sanitary facilities (toilets and bathrooms – Separately for women) and safe continuous drinking water facilities must be provided for the teaching staff, students (men and women), technical and other staff in all sections as required.

A.2. DEPARTMENTS

a) DEPARTMENT OF ANATOMY

(A) Lecture theatre - As per item A.15.

- (B) Demonstration Room there shall be two demonstration rooms (45 sq.mt.each) fitted with strip chairs, Over Head Projector, Slide Projector, Television, Video and other audiovisual aids, so as to accommodate at least 50 to 60 students.
- (C) Dissection Hall There shall be a dissection hall (250 sq.mt.) to accommodate at least 100 students at a time. It shall be well lit, well-ventilated with exhaust fans and preferably centrally air-conditioned. There shall be an ante-room for students with lockers and ten Wash basins. There shall be adequate teaching aids in the hall. In addition, there shall be an embalming room (12 sq.m.area), space for 3 storage tanks (one of 3 sq.m. & two of 1.5 sq.m.each) and cold storage room with space for 10-12 dead bodies (18 sq.m.area) or cooling cabinets.
- (D) Histology- There shall be Histology Laboratory (150sq.mt.) with accommodation for work benches fitted with water taps, sinks, cupboards for microscope storage and electric points for 60 students. There shall be a preparation room (18 sq. mt.) for technicians and storage of equipment.
- (E) Research- There shall be one research laboratory (50sq.m.area) for research purposes.
- (F) Museum-There shall be a museum (150sq.m.)-provided with racks and shelves for storing and proper display of wet and dry specimen and embryological sections, models, revolving stands for skiagrams, CT scan, MRI and trolly tables, X-ray view boxes shall be multistand type to take 4 plates standard size 3 boxes (3view boxes for 100 students). Adequate seating accommodation for 25 students to study in the museum shall be provided. Thee shall be two attached rooms 915 sq.mt. each) for the preparation of models/specimens and for artists and modellers.
- (G) Departmental Library-

There shall be a Departmental library-cum-seminar room (30sq.m. area) with at least 80-100 books. However, not more than two copies of anyone book shall be counted towards computation of the total number of books.

- (H) Accommodation for Staff- Accommodation shall be provided for the staff as under namely;
 - 1. Professor & Head of the Department- (18 Sq.m.area);
 - 2. Associate Professor/Reader-Two rooms (15 Sq.m.area);
 - 3. Asstt. Professor/Lecturers (Three)-One room (20 Sq.m.area);
 - 4. Tutor/Demonstrators-One room (15 Sq.m.area)
 - 5. Department office cum Clerical room one room (12 Sq.m.area); and
 - 6. Working accommodation for non-teaching staff (12sq.m. area)

b) DEPARTMENT OF PHYSIOLOGY INCLUDING BIO-PHYSICS

- (A) Lecture Theatre As per item A.1.5.
- (B) Demonstration Room-There shall be one demonstration room (45 sq.mt.) fitted with strip chairs, Over head Projector, Slide Projector, Television, Video and other audiovisual aids, so as to accommodate at least 50-60 students
- (C) Practical rooms- The following laboratories with adedquate accommodation shall be provided to accommodate 60 students.
 - (i) Amphibian laboratory (one)-(150 sq.m.area) shall be provided with continuous working tables. Every seat shall be provided preferably with stainless steel washbasin. Every workings table shall have one drawer and one cupboard, an electric point and with fire and steam proof top. One preparation room (14 Sq.m. area) shall be provided with the amphibian laboratory.
 - (ii) Mammalian laboratory (one)-(60 Sq.m.area) shall be provided with four tables (2mx0.6,) with stainless steel top and operating light. The laboratory shall have attached instrument rack, two large size wash-basins (stainless steel) and cupboards for storing equipments. On preparation room (14 sq.m. area) shall be provided with the Mammalian laboratory.
 - (iii) Human Laboratories:
 - a) Haematology Lab. (150 Sq.m.area) provided with continuous working tables. Every seat shall be provided preferably with stainless steel wash basin. Every working table shall have one drawer and one cupboard, an electric point and with fire/steam proof top including provisions of light sources on each table. On preparation room (14 Sq.m.area) shall be provided with this laboratory.
 - b) There shall be a Clinical Physiology Laboratory (60Sq.m.area) provided with 8 tables (height 0.8 m.) with mattresses and adjustable hand-end.
- (D) Departmental Library-There shall be a Departmental library-cum-seminar room (30Sq.m.area) with at least 80-100 books. However, not more than two copies of anyone book shall be counted towards computation of the total number of books.
- (E) Research There shall be one research laboratory (50 Sq.m.area) for research purposes.
- (F) Accommodation shall be provided for the staff as under:-
 - 1. Professor & Head of the Department- (18 Sq.m.area);
 - 2. Associate Professor/Reader-Two rooms (15 Sq.m.area);
 - 3. Asstt. Professor/Lecturers (Three)-One room (20 Sq.m.area);
 - 4. Tutor/Demonstrators-One room (15 Sq.m.area)
 - 5. Department office cum Clerical room one room (12Sq.m.area); and
 - 6. Working accommodation for non-teaching staff (12sq.m. area)

(3) DEPARTMENT OF BIOCHEMISTRY

- (A) Lecture theatre As per item A.1.5.
- (B) Demonstration Room-There shall be one demonstration room 945 sq.mt.) fitted with strip chairs, Over head Projector, Slide Projector, Television, Video and other audiovisual aids, so as to accommodate at least 50-60 students
- (C) Practical class room-There shall be a laboratory (150 Sq.m.) with benches fitted with shelves and cupboards, water taps, sinks, electric and gas connections so as to accommodate 60 students. Two Ante rooms (14 Sq.m. area) each for technicians, stores, preparation room, balance and distillation apparatus shall also be provided
- (D) There shall be a Departmental library-cum-seminar room (30Sq.m.area) with at least 80-100 books. However, not more than two copies of anyone book shall be counted towards computation of the total number of books.
- (E) Research There shall be one research laboratory (50 Sq.m.area) for research purposes.
- (F) Accommodation shall be provided for the staff as under:-
 - 1. Professor & Head of the Department- (18 Sq.m.area);
 - 2. Associate Professor/Reader-Two rooms (15 Sq.m.area);
 - 3. Asstt. Professor/Lecturers (Three)-One room (12 Sq.m.area);
 - 4. Tutor/Demonstrators-One room (15 Sq.m.area)
 - 5. Department office cum Clerical room one room (12 Sq.m.area); and
 - 6. Working accommodation for non-teaching staff (12 sq.m. area)

(4) DEPARTMENT OF PATHOLOGY

- (A) Lecture theatre As per item A.1.5
- (B) Demonstration room-There shall be one demonstration room (45 Sq. mt.) fitted with Over Head Projector, Slide projector, Television Video and other audiovisual aids, to accommodate at least 50-60 students.
- (C) There shall be Practical Laboratories for Morbid Anatomy and Histopathology/ Cytopathology 9150 Sq.mt.area) and for clinical pathology/Haematology (150 sq.mt.area) with preparation room (14 sq.mt.area) with benches, fitted with shelves cupboards, sinks, water taps, light for microscopy and burners for 60 students to carry out exercises.
- (D) There shall be a separate service laboratory each (25 Sq.mt.) for histopatholgy, cytopathology, Haematology and other specialised work in the hospital suitably equipped.

In addition there shall be a balance room (14 Sq. mt.), store room (14 sq.mt.) and special room for high speed centrifuge (14 sq.mt.) and a wash room (14 sq.mt.) with continuous water supply.

- (E) Museum-There shall be a museum (60 Sq.mt.) for specimens, charts, models with a sitting capacity of atleast 25 students. All the specimens shall be labelled and at least 10 copies of catalogues for student use be provided. In addition, there shall be an ante room.
- (F) Autopsy Block- There shall be an Autopsy room (approx. 400 sq.mt. area) with facilities for cold storage, for cadavers, ante-rooms, washing facilities, with an accommodation capacity of 20-25 students, waiting hall and office. The location of mortuary and autopsy block should be either in the hospital or adjacent to the hospital in a separate structure and may be shared with the department of Forensic Medicine.
- (G) Departmental library-

There shall be a Departmental library-cum-seminar room (30 sq.m. area) with at least 80-100 books. However, not more than two copies of anyone books shall be counted towards computation of the total number of books.

- (H) Research-There shall be one research laboratory)50 Sq.m. area) for research purposes.
- (I) Accommodation shall be provided for the staff as under:
 - 1. Professor & Head of the Department- (18 Sq.m.area);
 - 2. Associate Professor/Reader-Two rooms (15 Sq.m.area);
 - 3. Asstt. Professor/Lecturers (Three)-One room (14 Sq.m.area);
 - 4. Tutor/Demonstrators-One room (15 Sq.m.area)
 - 5. Department office cum Clerical room one room (12 Sq.m.area); and
 - 6. Working accommodation for non-teaching staff (12 sq.m. area)

(J) BLOOD BANK

There shall be an airconditioned Blood Bank 9100 Sq. mt. Area) and shall include-

- (a) Registration and Medical Examination Room and selection of donors room with suitable furniture and facilities.
- (b) Blood collection room.
- (c) Room for Laboratory for Blood Group serology;
- (d) Room for Laboratory for Transmissible diseases like hepatitis, syphillis, Malaria, HIV antibodies etc;
- (e) Sterilisation and washing room;
- (f) Refreshment room; and
- (g) Store and Records room.

The equipment and accessories etc. shall be provided as prescribed in Part XII-B in Schedule F to the Drugs and Cosmetics Rules, 1945 amended from time to time.

(5) DEPARTMENT OF MICROBIOLOGY

- (A) Lecture Theatre As per item A.1.5.
- (B) Demonstration room-there shall be one demonstration room (45 Sq. mt.) fitted with Over Head Projector, Slide projector, Television Video and other audiovisual aids, to accommodate at least 50-60 students.
- (C) Practical laboratories-there shall be a Practical laboratory (150 sq. mt. Area) with benches fitted with shelves, cupboards, sinks, water taps, light for microscopy and burners for 60 students (150 sq. m. area) with laboratory benches, gas, water and electric points, microscopes and light with a preparation room (14 sq. m. area)
- (D) There shall be a separate service laboratory each for (1) Bacteriology including anaerobic; (2) Serology; (3) Virology; (8) Parasitology; (5) Mycology; (6) Tuberculosis; and (7) immunology.

Area for each service laboratory shall be 25 Sq.m. Separate accommodation for (1) media preparation and storage (20 Sq.m.area) (2) Auto Claving (12 Sq.m. area) (3) Washing & drying room with regular and continuous water supply (12 sq.m.area) for contaminated culture plates, test tubes and glassware shall be provided.

- (D) Museum- There shall be a museum (60 Sq. mt.) for specimens, charts, models, with a seating capacity of at least 25 students. All the specimens shall be labelled and atleast 10 copies of catalogues for students use be provided
- (E) Departmental Library-

There shall be a Departmental library-cum-seminar room (30Sq.m.area) with at least 80-100 books. However, not more than two copies of anyone book shall be counted towards computation of the total number of books.

- (F) Research: There shall be one research laboratory (50 Sq.m.area) for research purposes.
- (G) Accommodation shall be provided for the staff as under:
 - 1. Professor & Head of the Department- (18 Sq.m.area);
 - 2. Associate Professor/Reader-One room (15 Sq.m.area);
 - 3. Asstt. Professor/Lecturers -One room (12 Sq.m.area);
 - 4. Tutor/Demonstrators-One room (15 Sq.m.area)
 - 5. Department office cum Clerical room one (12 Sq.m.area); and
 - 6. Working accommodation for non-teaching staff (12 sq.m. area)

(6) DEPARTMENT OF PHARMACOLOGY

- (A) Lecture Theatre As per item A.1.5.
- (B) Demonstration room-There shall be one demonstration room (45 Sq. mt.) fitted with Over Head Projector, Slide projector, Television Video and other audiovisual aids, to accommodate at least 50-60 students.
- (C) Practical laboratories-There shall be a Practical laboratory with accommodation for 50-60 students for the following, namely:
 - i) Experimental Pharmacology (150 Sq.m. area) with ante-room (14 Sq.m.area) for smoking and and varnishing of kymograph papers.
 - ii) Clinical Pharmacology and Pharmacy (150 sq.m.area) with one anti-room (14 sq.m. area) for technicians, storage of equipment and appliances and preparation room..
- (D) Museum- There shall be a museum (100 Sq. mt.) for specimens, charts, models, with a separate section depicting "History of Medicine", with a seating capacity of at least 25 students. All the specimens shall be labelled and atleast 10 copies of catalogue for students use be provided
- (E) Departmental Library- There shall be a Departmental library-cum-seminar room (30 Sq.m.area) with at least 80-100 books. However, not more than two copies of anyone book shall be counted towards computation of the total number of books.
- (F) Research: There shall be one research laboratory (50 Sq.m.area) for research purposes.
- (G) Accommodation shall be provided for the staff as under:
 - 1. Professor & Head of the Department- (18 Sq.m.area);
 - 2. Associate Professor/Reader-One room (15 Sq.m.area);
 - 3. Asstt. Professor/Lecturers One room (12 Sq.m.area);
 - 4. Tutor/Demonstrators-One room (15 Sq.m.area)
 - 5. Department office cum Clerical room one room (12 Sq.m.area); and
 - 6. Working accommodation for non-teaching staff (12 sq.m. area)

(7) DEPARTMENT OF FORENSIC MEDICINE INCLUDING TOXICOLOGY

- (A) Lecture theatre As per item A.1.5.
- (B) Demonstration room there shall be one demonstration room at least (45 sq.mt.) fitted with strip chairs, Over Head Projector, Slide projector, Television, Video and other audiovisual aids, to accommodate at least 50-60 students.

- (C) There shall be a museum (150 Sq.m.area) to display medico-legal specimens charts, models, prototype fire arms, wax models, slides, poisons, photographs etc. with seating arrangements for 20-25 students. All the specimens shall be labelled and at least 10 copies of catalogues for student use be provided.
- (D) There shall be a laboratory (150 Sq. m. area) for examination of specimens, tests and Forensic histopathology, Serology, anthropology and toxicology.
- (E) Autopsy Block there shall be an Autopsy room (approx.400 sq. mt. area) with facilities for cold storage, for cadavers, ante-rooms, washing facilities, with an accommodation capacity of 20-25 students, waiting hall, office tc. The location of mortuary/autopsy block should be either in the hospital or adjacent to the hospital in a separate structure and may be shared with the department of Pathology.
- (F) Department Library –

There shall be Departmental library-cum-seminar room (30 Sq.m.area) with at least 80-100 books. However, not more than two copies of anyone book shall be counted towards computation of the total number of books.

- (G) Research There shall be one research laboratory (50 Sq.m.area) for research purposes.
- (H) Accommodation shall be provided for the staff as under, namely:-
 - 1. Professor and Head of the Department (18 Sq.m.area);
 - 2. Associate Prof./Reader One room (15 Sq.m.area);
 - 3. Asst. Professor/Lecturers One room (12 Sq. m. area);
 - 4. Tutors/Demonstrators One room (15 Sq. m.area);
 - 5. Department office cum Clerical room one (12 Sq.m.aea), and
 - 6. Working accommodation for non-teaching staff (12 Sq.m.area).

(8) DEPARTMENT OF COMMUNITY MEDICINE

- (A) Lecture theatre- As per item A.1.5.
- (B) Demonstration room-There shall be one demonstration room (45 sq.mt.) fitted with strip chairs, Over Head Projector, Slide projector, Television Video and other audio-visual aids, to accommodate at least 50-60 students.
- (C) There shall be a laboratory (150 Sq.m.area) with facilities for purposes of demonstration of various laboratory practicals.
- (D) Museum-There shall be a museum (100 Sq.m.area) for the display of models, charts, specimens and other material concerning communicable diseases, Community Health, Family Welfare planning, Biostatics, Sociology, National Health Programmes, Environmental Sanitation etc.
- (E) Departmental Library-

There shall be a Departmental library-cum-seminar room (30 Sq.m.area) with at least 80-100 books. However, not more than two copies of anyone book shall be counted towards computation of the total number of books .

- (F) Research- There shall be one research laboratory (50 S1.m.area) for research purposes.
- (G) Accommodation shall be provided for the staff as under, namely:-

Professor & Head of the Department- (18 Sq.m.area); Associate Professor/Reader-Two rooms (15 Sq.m.area); Asstt. Professor/Lecturers (Three)-One room (15 Sq.m.area); Statistician cum Lecturer-One room (12 Sq.m.a) Epidemiologist cum Lecturer-One room (12 Sq.m.area) Tutor/Demonstrators-One room (15 Sq.m.area) Department office cum Clerical room - one room (12 Sq.m.area); and Working accommodation for non-teaching staff (15 sq.m. area)

(H) Primary Health Centre/Rural Health Training Centre

Every medical college shall have three primary health centres/rural health training centres for training of students in community oriented primary health care and rural based health education for the rural community attached to it. Out of these one primary health centre shall be with a distance of 30 km. or within one hour of commuting distance from the medical college. Separate residential arrangements for boys and girls, interns and undergraduates with mess facilities shall also be provided in at least one of the primary health centres/rural health training centres which shall be under the full administrative jurisdiction of the medical college. Adequate transport shall be provided for carrying out field work, teaching and training activities by the department of Community Medicine and other departments (both for staff and students).

 Urban Health Training Centre- it shall be under the administrative control of Deptt. of community Medicine. Adequate transport shall be provided for commuting the staff and students.

B. TEACHING HOSPITAL

- B.1 GENERAL REMARKS
- B.1. 1 (1) All the teaching hospitals shall be under the academic, administrative and disciplinary control of the Dean/Principal of the medical college.
- B.1.2. (2) Accommodation shall be provided for Dean (36 Sq.mt.) and Medical Superintendent (36 Sq.mt.) and hospital offices for the supportive staff, Nursing Suprintendent's room and office, waiting space for visitors. There shall also be accommodation for :
 (a) Enquiry office,

- (b) Reception area (300 Sq.mt.) including facilities for public telephone, waiting space for patients and visitors, drinking water facility with nearby toilet facilities.
- (c) Store rooms.
- (d) Central Medical Record Section (200 Sq.m.)
- (e) Linen Rooms.
- (f) Hospital and Staff Committee room (60 Sq.mt.)
- B.1.3. One Central lecture theatre of gallery type with a seating capacity of 150 persons and audio-visual aids shall be provided in the hospital.
- B.1.4. Central Registration and statistics department with computer facilities shall be provided.
- B.1.5. Intercom network alongwith paging and bleep system between various sections, hospitals and college shall be provided for better service, coordination and patient care.
- B.1.6 Residential accommodation shall be provided in the hospital campus for interns, Jr. Residents, Senior Residents, Registrars etc.
- B.1.7 There shall be a minimum OPD attendance of 8 patients per day (old and new) per student intake.
- B.1.8 Indoor beds occupancy-Average occupancy of indoor beds shall be a minimum of 80% per annum.
- B.1.9. Clinical Departments in the Hospital.

Requirement of Beds and units:

The number of beds required for 100 admissions annually is 500. They may be d istributed for the purposes of clinical teaching as under, namely: -

(i) MEDICINE AND ALLIED SPECILITIES:-

No.	of beds and units required	Beds/units
1.	General Medicine	120/4
2.	Paediatrics	60/2
3.	Tuberculosis and Respiratory Diseases	20/1
4.	Dermatology, Venerealogy and Leprosy	10/1
5.	Psychiatry	10/1
		220

Note: (1) There shall be well equipped and updated intensive Care Unit (I.C.U.), Intensive Coronary Care Unit (I.C.C.U.) Intensive Care Paediatric beds and preferably Intensive care in Tuberculosis and Respiratory Diseas.

(2) Wherever possible, the facilities available in larger tuberculosis and chest diseases hospitals, infectious diseases hospitals and mental hospitals may be utilised for training in these specialties. However, if these hospitals are not under the total administrative control

of the Medical College, the required beds in these specialities shall have to be provided in the attached teaching hospital itself.

(ii) SURGERY AND ALLIED SPECIALITIES:

		No. of beds and units required
1.	General surgery	120/4
2.	Department of Orthopaedics	60/2
3.	Department of Ophthalmology	20/1
4.	Oto-Rhinolaryngology	<u>20/1</u>
		220

Note: There shall be well-equipped and updated intensive Care Burn Unit and Surgical post operative critical care Unit.

(iii) OBSETETRICS AND GYNAECOLOGY No. of beds and units required 1. Obstetrics 2. Gynaecology 20 3. Postpartum 5 60/2 (iv) GRAND TOTAL

Note: (1) In case a super speciality is developed, it shall necessitate creation of extra beds alongwith additional staff over and above the minimum requirement stated hereinabove in accordance with the provisions of the Postgraduate Medical Education Regulations, 1971.

(2) The teaching hospital may provide additional beds in any speciality depending upon their patients load.

2. CLINICAL DEPARTMENTS-INDOOR

- B.2.1. The following accommodation shall be available with each ward, namely:-
 - 1. Accommodation to be provided for Nurses Duty Room.
 - 2. Laboratory for routine examinations.
 - 3. Examination and treatment room.
 - 4. Ward Pantry.
 - 5. Store room for linen and other equipment.
 - 6. Resident Doctors and students Duty Room.

B.2.2. The following additional accommodation shall be provided for each of the departments.

- 1. Offices for Head of Departments and Head of Units.
- 2. Accommodation for the other unit staff.
- 3. Clinical demonstration rooms (atl least one for each department) and
- 4. Departmental Library-cum-Seminar room (30sq.mt.) with a seating capacity of 50 students.

- NB:- The size and number of staff rooms shall be as per the guidelines given in the pre and para clinical departments for the prescribed number of staff members in a department.
- **B.2.3. RESEARCH LABORATORIES:**

There shall be a Research Laboratory commensurate with the specialised work in all fields.

B.2.4. OPERATION THEATRE UNIT :

The Operation Theatre Unit shall have the following facilities; namely:-

- 1. Waiting room for patients.
- 2. Preparation room
- 3. Operation theatre.
- 4. Post-operative recovery room (minimum of 6 beds).
- 5. Soiled Linen room.
- 6. Instrument room.
- 7. Sterilisation room.
- 8. Nurses rooms.
- 9. Surgeon"s and anaesthetist's room (separate for male and female).
- 10. Assistant's room.
- 11. Observation gallery for students.
- 12. Store rooms
- 13. Washing room for Surgeons and Assistants; and
- 14. Students washing up and dressing up room.

Three such units may be provided for General surgery (including one for septic cases); one for ENT' one for orthopaedics; one for Ophthalmology and two for Obstetrics and Gynaecology.

In addition, one or more extra theatre/s for other surgical specialities and one theatre for emergency-casualty area shall be provided.

B.2.5 CENTRAL STERILISATION SERVICES:

There shall be an independent Central Sterilization unit capable of taking the total working load of operation theatres, laboratories close to or in the operation theatre block itself. It shall have adequate equipment like bulk sterilize with separate ends for loading unsettle material, unloading sterile, cold sterilize, Ethylene oxide sterilize, freon ethylene instruments and mattress sterilize, sterile racks, mixers, and trays for instruments.

This department shall work round the clock and all materials, instruments, trays, and dressing material etc. shall be supplied round the clock.

B.2.6 LAUNDRY

The Central Mechanical laundry shall be provided with bulk washing machine, Hydro-Extractor, flat rolling machine. Laundering of hospital linen shall satisfy two basic considerations, namely, cleanliness and disinfection. The hospital could be provided with necessary facilities for drying, pressing and storage of soiled and cleaned linens.

B.2.7. DEPARTMENT OF RADIO-DIAGNOSIS:

The room sizes for various Diagnostic Imaging Systems shall be as per the following provision of the Atomic Energy Regulatory Board Safety Code, namely:-

" The room size of the room housing X-ray equipment must not be less than 25 Sq.m. for a general purpose X-Ray machine. In case of diagnostic X-Ray equipment operating at 125kV or above the control panel must be installed in separate control room located outside but contiguous to the X-Ray room. Rooms housing fluroscopy equipment must be so designed that adequate darkness can be achieved conveniently when desired. Patient waiting areas must be provided outside the X-ray room and a dark room must be provided.

Accommodation shall be provided for the following namely:-

- (a) Room for 300mA, 500mA, 600mA. I.I.TV System, Fluroscopy System (36 sq.m.)
- (b) Ultrasound Room (15 sq.m.)
- (c) Room for 60mA Mobile X-Ray System (15 sq.m.)
- (d) Accommodation for CT Scan System. There shall be three equipment rooms, (examination room, control room, control room and computer room). In addition, a services room for Electrical Panels, UPS and Servo Stabilizer shall be provided. The total area requirement is 80 sq.m.
- (e) There shall be preferably a Magnetic Resonance Imaging (MRI) System. The space requirement shall be according to the standard specifications.
- (f) Store room for X-Ray films and related material (15sq.m.)
- (g) Museum (25 sq.m.).
- (h) Waiting room for patient, enquiry office and staff rooms shall be provided as per requirement.

B 2.8 DEPARTMENT OF ANAESTHESIOLOGY

Accommodation for the department of Anaesthesia should be provided for staff on duty in operation theaters in that block itself as far as possible in addition to following accommodation; namely:-

- 1. Offices for Heads of Departments and Heads of Units.
- 2. Accommodation for the other unit staff.
- 3. Clinical demonstration rooms (at least one for each department); and
- 4. Departmental Library-cum-Seminar room (30 Sq.m.) with a seating capacity of 50 students.

OPTIONAL DEPARTMENTS.

B.2.9 DEPARTMENT OF RADIOTHERAPY;

The department needs to be planned in such a way that there is a minimum movement of Radio-active sources through the general corridors of the Hospital. It is therefore desirable that the outpatient wing, treatment wing, dosimetry/planning equipments, wards, operation theatre and other facilities are located in the same block, may be on two floors. It should be closely connected with the rest of the hospital to facilitate free interaction of the facilities of various disciplines for multidisciplinary management of the patients. Separate rooms should be provided for Teletherapy Unit (100 Sq.m.area), intra cavitory treatment room (50 sq.m.area) interstitial, endocavitory, surface mould therapy room (50 sq.m.area), planning room (50sq.m.area), record room (100sq.m.area), medical physics laboratory (50sq.m.area) outpatient waiting room (200 sq.m.area), indoor beds (at least 30 beds and an isolation ward) (200 sq.m.area). The minimum floor area shall be 2000-2500 sq.m. Prior BARC approval of the radiation therapy rooms/plan alongwith complete layout of the entire department is mandatory.

B.2.10 DEPARTMENT OF PHYSICAL MEDICINE AND REHABILITATION:

Accommodation (1500 sq.meter) shall be provided for professor and other teaching staff, paramedical personnel and non-medical staff, evaluation room, physiotherapy, Electrotherapy, Hydrotherapy, Occupational Therapy, Speech therapy, separately, as far as possible.

B 3 CLINICAL DEPARTMENTS-OUT DOOR

- B 3.1 Accommodation shall be provided for:-
 - 1. Waiting/reception space rooms for patients and attendants,
 - 2. Enquiry and record room.
 - 3. Four examination rooms (cubicles) and case demonstration rooms to be provided for each department in the outdoor in self-contained blocks with their sub-sections. Each clinical unit in the out-patient department shall be provided with examination cubicles.
 - 4. Dispensary.
 - 5. The following additional accommodation shall be provided in the departments specified below:-
 - (a) In Surgery & its specialities: Dressing room for men and women patients respectively. Operation theatre for out patient surgery.
 - (b) In Ophthalmic Section: Refraction rooms, dark rooms, dressing rooms etc.
 - (c) In orthopaedics Section:

- (d) In ENT Section:
 - Sound proof audiometry Room, ENG laboratory and speech therapy facilities.
- (e) In Paediatrics:

Child Welfare including Immunization Clinic

Child Guidance Clinic Child Rehabilitation Clinic including facilities for espeech therapy and occupational therapy.

 (f) In obstetrics and Gynaecology: Antenatal Clinic, Family Welfare Clinic Sterility Clinic Cancer Detection Clinic.

There shall be an additional students duty room (separately) for males and females) attached to the labour room.

- (g) In Dental Section: Accommodation for Dental Surgery and Prosthetic dentistry.
- B 3.2 Reception and Waiting Hall for Patients.
- B. 3.3. A seminar room for students.
- B4 CENTRAL LABORATORIES:

There shall be well-equipped and updated central laboratories preferably alongwith common collection entire for all investigations in histopathology, cytopathology, haematology, immunopathology, microbiology, biochemistry and other specialized work if any.

B5 CENTRAL CASUALTY DEPARTMENT

There shall be a Central Casualty department wherein consultancy services shall be provided by the teachers of relevant Departments.

Accommodation for Resuscitation Services including Oxygen supply, ventilators, defibrillator and two fully equipped disaster trolleys (emergency trolleys), Emergency X-ray, investigative facilities, Operation theatre etc., shall be provided. These shall all be fully equipped.

A casualty ward with at least twenty beds is also necessary. Accommodation for staff on duty (Doctors, Nurses, Students and others) shall be provided.

Adequate sanitary arrangements (toilet and bathrooms) & drinking water facilities for patients, their attendants and the staff of the department shall be provided in the respective blocks.

B6 CENTRAL HOSPITAL PHARMACY It shall have qualified pharmacist incharge and other staff certified by statutory authorities to dispense the drugs.

B7 CENTRAL KITCHEN

The Central Kitchen shall be commodious, airy, sunny, clean with proper flooring with exhaust system. The cooking should be done either by electricity or by gas. It should be provided with proper and clean working platforms. A separate store area with proper storage facilities should also be provided. The services trolleys for food should be hot and closed stainless steel ones.

B8 INCINERATING PLANT

A modern incinerating plant capable of taking hospital waste shall be provided.

B9 CENTRAL DISINFECTION PLANT

There shall be Central disinfection plant.

- B10 STAFF QUARTERS
- B10.1 There shall be sufficient number of quarters for covering 100 per cent of the total nursing staff and resident doctors staff strength.
- B10.2 There shall be sufficient number of quarters for covering at least 50% of the teaching staff and class IV strength.
- B 11 CENTRAL HOSPITAL STORES

There shall be a central hospital stores for stocking & supply of drugs, equipments etc.

B12 HOSTELS FOR STUDENTS

It is desirable that medical college should be a residential unitary complex. Each hostel room shall not have more than three occupants.

Schedule - II - STAFF REQUIREMENTS

A. GENERAL REMARKS:

- 1. Emphasis in medical education being on practical instruction and demonstration in small groups. The number of teachers must be as per provisions of this Schedule adequate to enable such instruction to be imparted effectively.
- 2. The teaching staff of all departments of medical college, shall be full-time.
- 3. These regulations cover the minimum requirements of under graduate medical education. Additional teaching staff will be required in instituions where postgraduate education is also imparted. Additional teaching staff will also be required where the work load involved in emergency care patient care, clinical laboratory work/field work is heavy or of a specialized nature.
- 4. To ensure the exposure of undergraduate students to experienced teachers, it is essential to provide adequate number of higher posts (Professors/Readers) in every department of teaching.
- 5. In department of anatomy, Physiology, Biochemistry, Pharmacology and Microbiology, non-medical teachers may be appointed to the extent of 30% of the total number of posts in the department. A non-medical approved medical M.Sc. qualification shall be a sufficient qualification for appointment as lecturer in the subject concerned but for promotion to higher teaching post a candidate must require Ph.D. degree qualification or equivalent qualification. However, in the department of Biochemistry, non-medical teachers may be appointed to the extent of 50% of the total number of posts in the department. In view of the paucity of teachers in non-clinical departments, relaxation upto the Head of the department may be given to non-medical persons in case a suitable medical teacher in the particular non-clinical speciality is not available for the said appointment in said department. However, all such appointments will be made only with the prior approval of the Medical Council of India. However, a non-medical person cannot be appointed as Director/Principal/Dean/Medical Superintendent or equivalent of an institution in any case. In the department of Community medicine, Statistician cum Lecturer in Statistics should possess M.A./M.Sc. qualification in that particular subject from a recognised university. These requirements are as per the Teacher Eligibility **Oualification Regulations.**
- 6. Teacher in higher specialities like Cardiology, neurology, Neuro-Surgery shall not be counted against the complement of teachers required for under graduate medical education.

DEPARTMENTWISE STAFF REQUIREMENTS-NON-CLINICAL (1) DEPARTMENT OF ANATOMY

Staff Strength Required

1
2
3
4
4
6
6
1
1
6

(2) DEPARTMENT OF PHYSIOLOGY

Professor	1
Reader	2
Lecturer	2
Tutors/Demonstrators	1
Technical Asstt./Technician	4
Modeller	4
Dissection Hall Attendants	1
Steno typist	3
Store Keeper cum clerk	1
Sweepers	2

(2) DEPARTMENT OF BIOCHMISTRY

Professor	1
Reader	2
Lecturer	2
Tutors/Demonstrators	1
Technical Asstt./Technician	4
Modeller	4
Dissection Hall Attendants	1
Steno typist	3
Store Keeper cum clerk	1
Sweepers	2

(4) DEPARTMENT OF PATHOLOGY

Professor	1
Reader	3
Lecturer	3
Tutors/Demonstrators	6
ARTIST	1
Technical Asstt./Technician	1
Lab. Attendants	5
Steno typist	8
Clerks	5
Store Keeper	1
Record clerk	2
Sweepers	1

(5) DEPARTMENT OF MICROBIOLOGY

Professor	1
Reader	1
Lecturer	1
Tutors/Demonstrators	2
Technical Asstt./Technician	4
LAB. ATTENDANTS	3
Store Keeper	1
Record Clerk	1
Steno Typist	1
Sweepers	3

(6) DEPARTMENT OF PHARMACOLOGY

Professor	1
Reader	1
Lecturer	2
Tutors/Demonstrators	4
Pharm. Chemist	1
Technical Asstt./Technician	3
Store Keeper cum clerk	1
Steno Typist	1
Laboratory Attendants	3
Sweepers	2

(7) DEPARTMENT OF FORENSIC MEDICINE

Professor	1
Reader	1
Lecturer	1
Tutors/Demonstrators	2

Technical Asstt./Technician	2
Laboratory Attendants	2
Steno Typist	1
Store Keeper cum clerk	1
Sweepers	2

Note: For postmortem work and other medico-legal work extra staff shall be provided.

(8) DEPARTMENT OF COMMUNITY MEDICINE

Professor	1
Reader	1
Lecturer	2
Epidemiologist cum Lecturer	1
Statistician cum Lecturer	1
Tutors/Demonstrators	4
Medical Social Worker	2
Technical asstt./Technicians	2
Stenographers	1
Record Clerk	1
Store Keeper	1
Sweepers	2

Staff for Rural Training Health Centre (including field work and epidemiological studies.)

Medical Offficer of Health-cum-lecturer/	
Assistant Professor.	1
Lady Medical Officer	1
Medical Social Workers	2
Public Health Nurse	1
Health Inspectors	2
Health Educator	1
Technical Asstt./Technicalns	2
Peons	1
Van Driver	1
Store Keeper	1
Record Clerk	1
Sweepers	2

Staff Strength Required

Note: The urban and Rural Training Health Centres should be under the direct administrative control of the Dean/Principal of the college.

Urban Training Health Centre

Medical Offficer of Health-cum-lecturer/	
Assistant Professor.	1
Lady Medical Officer	1
Medical Social Worker	1
Public Health Nurse	1
Health Inspector	2
Health Educator	1
Technical Asstt./Technicians	2
Store keeper	1
Record clerk	1
Van Driver	1
Peon	1
Sweepers	2

Note: The urban and Rural Training Health Centres should be under the direct administrative control of the Dean/Principal of the college.

C. DEPARTMENT WISE STAFF REQUIREMENTS-CLINICAL DEPARTMENTS

(1) GENERAL

- 1. Each department shall have a Head of the Department of the rank of full time Professor who shall have overall control of the Department.
- 2. The Staffing pattern of the departments shall be organised on the basis of units.
- 3. A Unit shall have not more than 30 beds in its charge. However, in departments of Tuberculosis & respiratory diseases, Dermatology, Veneralogy & Leprosy, Psychiatry, Ophthalmology & ENT one unit shall be of MCI sanctioned strength for that speciality even if the total number of beds is less than 30.
- 4. The minimum staff complement of each unit shall consist of the following, namely:-
- (a) Professor/Reader 1
- (b) Lecturer. 1
- (c) Senior Resident/Tutor/Registrar 1
- (d) Junior Residents 3 to 4

In addition to the above staff, additional Sr. Residents and Junior Residents shall be provided according to the load in Burn Ward ICU, emergency, ICCU, Nursery, Labour Room and in other critical/intensive care unit/units for providing services round the clock.

(2) DEPARTMENT OF GENERAL MEDICINE

The Number of units, beds and staff for each department shall be as follows;

(a) GENERAL MEDICINE

No. of units/beds: 4/120 Staff strength required 1. Professor 1 3 2. Reader 3. 4 Lecturer Tutor / Registar/Sr. Resident* Junior Residents 4 4. 5. 12

With three years Resident experience.

(b)	TUBERCULOSIS & RESPIRA	TORY DISEASES
No. of units/beds:		4/120
		Staff strength required
1.	Professor/	1
2.	Reader	
3.	Lecturer	1
4.	Tutor / Registar/Sr. Resident*	1
5.	Junior Residents	3

* With three years Resident experience.

(c) DERMATOLOGY V	VENEREOLOGY & LEPROSY
No. of units/beds:	1/10
	Staff strength required

1.	Professor/	1
2.	Reader	
3.	Lecturer	1
4.	Tutor / Registar/Sr. Resident*	1
5.	Junior Residents	3

* With three years Resident experience.

(d) PSYCHIATRY

	No. of units/beds:	1/10
		Staff strength required
1.	Professor/	1
2.	Reader	
3.	Lecturer	1
4.	Tutor / Registar/Sr. Resident*	· 1
5.	Junior Residents	3

* With three years Resident experience.

The following ancillary staff shall be provided.

Staff Strength required

00	0 1	
1.	E.C.G. Technician	1
2.	Technical Asstt./Technician	3
3.	Lab. Attendants	4
4.	Store Keeper	1
5.	Steno Typist	1
6.	Record clerks	2
7.	T.B. and Chest Diseases Health Visitors	2
8.	Psychiatric Social Workers	2

DEPARTMENT OF PAEDIATRICS

No. of	units/beds:	2/60
		Staff strength required
1.	Professor/	1
2.	Reader	1
3.	Lecturer	2
4.	Tutor / Registar/Sr. Resident*	2
5.	Junior Residents	6

The following ancillary staff shall be provided.

1.	Child Psychologist	1
2.	Health Educator	1
3.	Technical Asstt./Technician	1
4.	Lab attendant	1
5.	Store Keeper	1
6.	Record clerks	1
7.	Social worker	1

(4) DEPARTMENT OF GENERAL SURGERY

No. of units/beds:		4/120
		Staff strength required
1.	Professor/	1
2.	Reader	3
3.	Lecturer	4
4.	Tutor / Registar/Sr. Resident*	4
5.	Junior Residents	12

* With three years Resident experience.

The following ancillary staff shall be provided.

1.	Technical Assistant/Technicians	3
2.	Laboratory Attendants	4
3.	Store keeper	1
4.	Steno-Typist	1
5.	Record Clerks	2

(5) DEPARTMENT OF ORTHOPAEDICS

No. of	units/beds:	2/60
		Staff strength required
1.	Professor/	1
2.	Reader	1
3.	Lecturer	2
4.	Tutor / Registar/Sr. Resident*	2
5.	Junior Residents	6

* with three years resident experience.

The following ancillary staff shall be provided.

1.	Technical Assistant/Technicians	1
2.	Laboratory Attendants	1
3.	Store keeper	1
4.	Steno-Typist	1
5.	Record Clerks	1

(6) DEPARTMENT OF OTO-RHINO-LARYGOLOGY

	(0)	
o. of u	nits/beds:	1/20
		Staff strength required
1.	Professor	1
2.	Reader 5	1
3.	Lecturer	
4.	Tutor / Registar/Sr.	Resident* 1
5.	Junior Residents	3

* with three years resident experience.

The following ancillary staff shall be provided.

1.	Technical Assistant/Technicians	1
2.	Laboratory Attendants	1
3.	Store keeper	1
4.	Steno-Typist	1
5.	Record Clerks	1
6.	Audiometry Technician	1

7. Speech Therapist

(7) DEPARTMENT OF OPHTHALMOLOGY

No. of units/beds:		1/20
		Staff strength required
1.	Professor	1
2.	Reader]	1
3.	Lecturer 5	
4.	Tutor / Registar/Sr. Resident*	1
5.	Junior Residents	3

* with three years resident experience.

The following ancillary staff shall be provided.

1.	Technical Assistant/Technician	1
2.	Lab Attendant	1
3.	Stenotypist	1
4.	Store keeper	1
5.	Record Clerk	1
6.	Refractionist	1

(8) DEPARTMENT OF OBSTETRICS AND GYNAECOLOGY

No. of units/beds:		2/60
		Staff strength required
1.	Professor/	1
2.	Reader	1
3.	Lecturer	2
4.	Tutor / Registar/Sr. Resident*	2
5.	Junior Residents	6

The following ancillary staff shall be provided.

1.	Antenatal Medical officer-cum-lecturer/	
	Assistant Professor	1
2.	Maternity and Child Welfare Officer-cum-	
	lecturer/Assistant Professor	1
3.	Social Worker	2
4.	Technical Asstt./Technicians	2
5.	Lab Attendants	2
6.	Stenographer	1

1

7.	Record Clerk	1
8.	Store Keeper	1

(9) DEPARTMENT OF RADIO-DIAGNOSIS

1.	Professor	1
2.	Reader	1
3.	Lecturer	2
4.	Tutors/Registrars	3
5.	Radiographic technicians	8
6.	Dark room assistant	4
7.	Stenographers	1
8.	Storekeeper	1
9.	Record clerk	1

(10) DEPARTMENT OF RADIO-THERAPY (OPTIONAL)

1.	Professor	1
2.	Reader	1
3.	Lecturer	2
4.	Tutors/Registrars	3
5.	Physicist	1
6.	Radiotherapy technicians	2
	(for every treatment unit)	
7.	Dark room assistant	1
8.	Stenographer	1
9.	Storekeeper	1
10.	Record clerk	2

(11) DEPARTMENT OF ANAESTHESIOLOGY Staff strength required

1.	Professor	1
2.	Reader	2
3.	Lecturer	3
4.	Tutors/Registrars/Senior Residents	5

The staff in the department shall consist of :

1.	Technical Asstt. Technicians	8
2.	Stenotypist	1
3.	Record clerk	1
4.	Store keeper	1

(12) DEPARTMENT OF PHYSICAL MEDICINE AND REHABILITATION (OPTIONAL)

Staff Strength required

1.	Professor/	1
2.	Reader	
3.	Lecturer	1
4.	Senior Residents	2
5.	House Surgeon/Junior Resident	1
The sta	aff in the department shall consists of :	
1.	Physiotherapists	2
2.	Occupational Therapists	2
3.	Speech Therapists	1
4.	Prosthetic and Orthotic Technicians	2
5.	Workshop Workers	6
6.	Clinical Psychologist	1
7.	Medico-social Worker	1
8.	Public Health Nurse/Rehabilitation Nurse	1
9.	Vocational Counsellor	1
10.	Multi-rehabilitation Workers/(MRW)/	
	Technician/Therapist	4
11.	Stenographer	1
12.	Record Clerk	1
13.	Store keeper	1
14.	Class IV workers	4

(12) DEPARTMENT OF DENTISTRY Staff Strength required

1.	Professor/	1
2.	Reader	
3.	Lecturer	1
4.	Tutor/Registrar	1
5.	Dental Technicians	4
6.	Store Keeper cum clerk	1

Note: Where Dental College or Dental wings of medical Colleges exist, the services of teachers of these may be utilized in the instruction of medical students in Dentistry and no separate staff in the Medical College shall be necessary.

D. STAFF REQUIREMENT FOR-ANCILLARY SERVICES

I CENTRAL RECORD SECTION

The staff of the section shall consist of

1.	Medical Record Officer	1
2.	Statistician	1
3.	Coding Clerks	4
4.	Record Clerks	6
5.	Daftaries	2
6.	Peons	2
7.	Stenotypist	1

II CENTRAL ANIMAL HOUSE

The	staff shall consist of :	
1.	Veterinary Officer	1
2.	Animal Attendants	2
3.	Technicians for animal operation room	1
4.	Sweepers	2

III CENTRAL LIBRARY

The staff in library shall consist of:

1.	Librarian with a degree in Library Science	1
2.	Deputy Librarian	1
3.	Documentalist	1
4.	Cataloguer	1
5.	Library Assistants	4
6.	Daftaries	2
7.	Peons	2

CENTRAL PHOTOGRAPHIC CUM AUDIOVISUAL UNIT

1.	Photographers	1
2.	Artist Modellers	1 each
3.	Dark Room Assistant	1
4.	Audiovisual Technician	1
5.	Store Keeper cum Clerk	1
6.	Attendant	1

MEDICAL EDUCATION UNIT

1.	Officer In-charge	1
	(Principal/Dean)	
2.	Coordinator	1
(Head	of a deptt. nominated by Principal/Dean.)	

3.	Faculty College faculty on part-time basis.	
	Supportive Staff:	
1.	Stenographer	1
2.	Computer Operator	1
3.	Technicians in Audio-visual aids,	
	Photography and Artist	2

CENTRAL STERLIZATION SERVICES DEPARTMENT

1.	Matron	1
2.	Staff Nurse	4
3.	Technical Assistant	8
4.	Technician	8
5.	Ward Boys	8
6.	Sweeper	4

LAUNDRY

1.	Supervisor	2
2.	Dhobi/Washerman/Women	12
3.	Packer	12

BLOOK BANK

1.	Professor /Reader	1
2.	Lecturer	1
3.	Technicians	6
4.	Laboratory Attendants	6
5.	Store Keepers	6
6.	Record Clerks	2

CENTRAL CASUALTY SERVICES

The staff in the department shall consist of :

1.	Casualty Medical Officer	4
2.	Operation Theatre staff to function on	As required
	24 Hours round the clock basis	
3.	Stretcher bearers	6
4.	Receptionist-cum-clerks	2
5.	Ward boys	6
6.	Nursing and Para-medical staff	6

7.	Clinical staff for casualty Beds.
----	-----------------------------------

As required.

CENTRAL WORKSHOP

1.	Superintendent – who shall be a	
	qualified engineer	1
2.	Senior Technicians	4 (Mechanical, Electrical,
		Electronic, Refrigeration)
3.	Junior Technicians	2
4.	Carpenter	1
5.	Blacksmith	1
6.	Attendants	4

OTHER HOSPITAL STAFF

1. NURSING STAFF: The nursing staff shall be provided as per the following recommendations of the Nursing Council:

RECOMMENDED NORMS FOR	R HOSPITAL NURSING SERVICE
(STAFF)	(TEACHING HOSPITAL)

(51111)			(TEACHING HOST TAL)			
Staffing: 1. Nursing Superintendent		1 (for minimum of 150 beds)				
-	2. Deputy Nursing Superintendent			1		
3. Asstt. Nursing Superintendent			2			
(for every additional 50 beds one mo			ore Ass	sistant l	Nursing Superintendent)	
	×	5				
		Staff Nurse	Sister		Depa	artment Senior/ANS
Medical War	d.	1:3	1:25		Each	Shift 1 For 3-4 wards
Surgical Ward		1:3	1:25		"	-do-
Orthopaedic ward		1:3	1:25		"	-do-
Paediatric ward		1:3	1:25		"	-do-
Gynaecology ward		1:3	1:25		"	-do-
Maternity ward		1:3	1:25		"	-do-
(Including new borns)						
	× ·	C	,			
Intensive Car	e Unit	1:1 (24 Hrs.)	1 each shift -	ſ	1 De	partmental Sister/.
Coronary Care Unit		1.1 (24 Hrs.)	1 each shift	L	ANS	for 3-4 units
Special wards Eye, 1:1 (24 hrs.) 1 each shift			ſ			
ENT etc.						

Operation Theatre		1 Departmental sister/ANS for 4-5
	per table	Operation Theatre 1 Depttl. Sister/ANS for
	-	semergency casualty etc.
Casualty &	2-3 Staff Nurse 1 each shift	
Emergency Unit	depending on the	J
	No. of beds	

Out patient Department-base on Actual observation.

a)Minor Operation Theatre	1 Staff Nurse for every 13 Patients
b)Injection Room	1 Staff Nurse for every 86 patients
c)Surgical	1 Staff Nurse for every 120 patients
d)Medical	1 Staff Nurse for every 140 patients
e)Gynae.	1 Staff Nurse for every 35 patients
f)Children (Paediatric)	1 Staff Nurse for every 85 patients
g)Orthopaedic	1 Staff Nurse for every 120 patients
h)Dental	1 Staff Nurse for every 120 patients
i)ENT	1 Staff Nurse for every 120 patients
j)Eye	1 Staff Nurse for every 86 patients
k)Skin	1 Staff Nurse for every 100 patients

Similarly other out patient Department need to be staffed based on actual observation.

JUSTIFICATIONS:

- 1. Needs may vary from hospital to hospital depending on the size of hospital and service rendered more staff than anticipated will be required.
- 2. Special attention is needed for supervision of patient care on the evening and night shift. 30% leave reserve is suggested because nurses get 2 off, 30 Earned Leave and 12Casual leave/24 days off in a year. Also it has been observed that on any working day 25% of the staff on casual leave etc.

A nurse works for 240 days in a year whereas hospital require nursing services for 365 days, for 24 hours, which means to depth work for 1/3 nurse is required that is why 30% leave reserve is needed.

- 2. Dieticians: In order to prescribe diet on the scientific lines for different types of patients the services of qualified dietician are essential in all the teaching hospital.
- 3. Pharmacists: As required for Hospital.
- 4. Class III and IV personnel-as required for hospital.

SCHEDULE III

EQUIPMENT (for various departments in the College and Hospitals).

Note: These recommendations are minimum requirements and will serve as a guide to the institutions with regard to the equipment required. They are not meant to be an exhaustive list and the staff of the various departments will use their initiative and experience for equipping the departments.

A. NON CLINICAL DEPARTMENTS

1. DEPARTMENT OF ANATOMY

(a) Furniture and Fixtures: Office tables small and big, office chairs, museum almirahs, study tables, staff room and library almirah, store almirahs, store racks, lockers with coat hangers and drawers as required. Laboratory benches with cup-boards and rack for reagent bottles and laboratory glasswares as required, water and gas and electric points operation tables etc., as necessary.

NAME OF THE ARTICLE	QUANTITY REQUIRED FOR
	100 (admissions)

Tables with marble or stainless steel,5Half standard size.5Drill machine2Hand saw3Band saw for sectioning body and limbs1Stools, preferably metal60Brain knife3Mortuary cooler with arrangement to keep at least 8 bodies or suitable alternative arrangement.1/2
Half standard size.5Drill machine2Hand saw3Band saw for sectioning body and limbs1Stools, preferably metal60Brain knife3Mortuary cooler with arrangement to keep
Hand saw3Band saw for sectioning body and limbs1Stools, preferably metal60Brain knife3Mortuary cooler with arrangement to keep
Band saw for sectioning body and limbs1Stools, preferably metal60Brain knife3Mortuary cooler with arrangement to keep1
Stools, preferably metal60Brain knife3Mortuary cooler with arrangement to keep
Brain knife3Mortuary cooler with arrangement to keep
Mortuary cooler with arrangement to keep
at least 8 bodies or suitable alternative arrangement. 1/2
Storage tank to hold 10 cadavers, made of
concrete with copper lid. 1
Plastic tanks for storing soft and dissected parts. 10
Trolly Table (Steel, Light). 3
Projectors including overhead projectors $2+2$
X-ray Viewing lobby. 3
Charts, Diagrams, Models, Slides etc. As required
Dissecting instruments As required
Meat cutting machine for thin body sections
(trans and vertical) for gross anatomy sectional study 1

QUANTITY REQUIRED FOR 100 (admissions)

(b)APPARATUS AND INSTRUMENTS FOR HISTOLOGY

Microscopes, Monocular	60
Dissection microscope	5
Microtomes, rotary	2
Microtomes, Sledge, large cutting	1
Cabinet for slides (1000)	6
Incubators	1
Paraffin embedding bath	1
Hot plates for flattening sections	2
Hot air cover fro drying slides $(45^{\circ}C)$	1
Balance Analytical capacity 200 grms.	
and Sensitivity 1/10 mg.	1
Balance Earanger capacity 6 kilos Sensitivity, 1/5 gram	2
Refrigerators	2
Distilled water still menesty type capacity gallon per hour	2
Diamond pencils	4
7 colour marking pencils	2
Anatomy Museum	
Skeletons articulated	5
ones (Dis-articulated) sets	25
Specimen jars	As required
Racks steel	As required
Embalming machines for cadavers	2
Linoanning machines for cauavers	<u></u>

Computer for keeping student records, marks, stores etc,

(2) PHYSIOLOGY DEPARTMENT

(a) Office table, small and big, office chairs, museum almirahs, study table, staff room and library almirahs, stock almirahs, store room racks, laboratory benches with cupboards and racks for reagent set up for experimental physiology including Sherrington Starling Kymograph (Presferably electrically driven) Myograph stand, inductorium, simple key short circulating key, pohl's commutator, vibrating interrupter, Muscle through, Muscle liver, Muscle grip of femur clamp, Hook and weight set, heart liver, frog board for dissection, enamel tray for above, frog board cork-lined with boss-head-36 sets + 6 spares.

Low voltage units, for tapping 2 and 4 volts for stimulation, at each seat-as required.

Note:

- 1. Time makers can also be made available at each seat alongwith the low voltage unit.
- 2. Electronic stimulators, students type can be used instead of low voltage units Nife cells. This will also dispense with the need for induction coil interrupter, Transistor ones are preferred.

NAME OF THE ARTICLE	QUANTITY REQUIRED FOR 100 (admissions)
Electric time makers, 100/sec. Tuning fork, time marker, 100/sec.	6 6
Electrodes, X-blocks, burrette clamps, enamel bowls brass uprights, with coarse and fine adjustments basin, spirit lamps, cooper wire (double cotton covered) Kymograph paper etc. (b) MAMMALIAN EXPERIMENTS	As required
Large extension kymographs-Brodie- Starling complete with respiration pump, motor time marker manometer etc.	As required
Operation table Volume recorders Dale's bath for internal organ Isolated Organs. Bath for students complete with liver etc.	6 15 25
Animal Weighing Machine, for small and big animals (for each) Mary's Tambour	1 20
Venus and arterial canula (different sizes) (e Smoking outfit, with fume cupboard Varnishing outfit, for long and short papers Anaesthesia boxes.	ach) 12 1 1 1
Surgical instruments for operative procedures, syringes, pulleys, etc.	As required
(c) HUMAN AND OTHER EXPERIMENT	S:
Microscopes, Oil immersion	36+6

Demonstrations eye piece	3
Double Demonstration eye piece	3
Stage incubator	1
Wastergen's Pipettes for E.S.R.	
on Stand (with space pipettes)	35

NAME OF THE ARTICLE

QUANTITY REQUIRED FOR 100 (admissions)

Perimeter Priestly Smith S/LP.984 B & T Haemogiobinometer, Sahil or hellige (with spaces) Haemocytometers Sphygmomanometer Stethoscopes Stethoscopes, Demonstration with	6 36 36 12 12
Multipleear pieces	2
Polygraphs	2 2 2 6
Venus Pressure apparatus	2
Spirometer, Ordinary	6
Gas analysis apparatus, Haldane's	
students type	1
Van Slyko's apparatus manometric	2
Gas analyzer – automatic for CO^2 , O^2 , N^2 Douglas bag, complete	1 6
Basal metabolism apparatusa	1
Erogograph Mosse's	6
Clinical thermometer	12
Compas	10
Thermanaesthesiometer	3
Algometer	3
Apparatus for passive movement	1
Knee hammer	12
Stethograph	10
Bicycle ergometer	4
Olfactometer	1
Opthalmoscope	2 2 1
Schematic eye	2
Phakoscope	
Perimeters, with charts	2
Colour percetion lantern Edridge Green	1
Maddox rod	1
Newtons colour wheel	1
Tuning forks to test hearing 32-10,000 cps (sets)	2

Dynamometer	1
Otorhinolaryngoscope	3
Steriliser Electric	2
Instrument trolley	1
Stop watches	6

GENERAL

Physiograph, 3 channels, complete with accessories	1
Physiograph, single channel, with accessories	6
Centrifuge, high speed with technometer etc.	1
Calorimeter, photo-electric	1
pH meter, electric	1
Refrigerator, 9-10c ft.	1
Oxygen Cylinder with trolley	6
Co cylinder with trolley	2
Electronic stimulator	1
Water distillation still, with spare heating elements	1
All glass distillation apparatus double stage	1
Voltage stabilizer	3
Stepdown transformers	1
Thermometers, balances, microslides	
and glassware	As required

DEPARTMENT OF BIOCHEMISTRY

Fume cupboards	2
Boiling Water baths, with lids having 8-12 Holes	6
Autoclave electric	2
Balance open pan	6
Balance semi micro	2
Balance micro	1
Votex mixers	2
Urinometers	50
Constant temperature water bath	4
Ryles tube	4
Incubator electric with thermostat	4
Hot air oven	4
Magnetic stirrer	2
Pump vaccum	2
Calorimeters	6
Refrigerators	4
Flame Photometer	2
Thermometers 0-250°C	4
Thermometers 0-110 ⁰ C	4
Cork borer set	1
Stop watch	4
-	

Spirit lamp	50
Chromatographic chamber	2
Water distillation plant (metallic)	3
All glass distillation apparatus	3
Desicators large size	6
Desicators small size	6
Centrifuge clinical for 12 tubes	6
PH meters	3
Homogeniser	3
Microscopes	6
Ultra Violet (U.V.) lamp	1
Tools for small workshop for glass	
blowing and mending	1 set
Bottle dispensers	15
Samplers (autopipettes) different volume range	15
Electrophoresis apparatus with power supply	
for Paper PAGE AGAROSE	6
Spectrophotometer	1
Binocular research microscopes	2
Glass ware as required by standard	
lab. Like pipettes, beakers and conical flasks, etc.	As required.

DEPARTMENT OF PATHOLOGY

General

Office table small and big, office chairs; museum almirahs; study table, staff room, and library almirahs, stock almirahs, store room racks, lockers with coat hangers and drawers as required. Laboratory benches with cupboards and rack for reagent bottles, water, gas and electric points, operation tables etc. as necessary.

(b) Morbid Histology and Morbid Anatomy Sections

Weighing machine for cadavers Rotary Microtomes	1
Freezing Microtome with a stand for	2
carbondioxide cylinder	1
Hot plates	2
Hot air (50 degree Celsus) for special staining	2
@ Paraffin embedding bath (Ordinary)	2
	2
<i>ⓐ</i> if Histo Kinette is not available.	
Autoclave electric	2
Distilled water still	1
Water bath 57 degree Celsius	1
Rectangular water bath	1

~	
Centrifuge machine electric Rotofix	1
Colorimeter Photoelectric Klett.	1
Cabinet for 1000 slides	As required
Band saw	1
Autopsy tables	2
Automatic tissue processor,	
Histokinmettee or similar, complete.	1
Staining racks for staining in bulk	10
Troughs for staining in bulk	12
Coplin jars	24
Water bath electric (Tissue Floatation	2
Balance, Chemical with weights	2
Balance, chemical with weights	
Microscopes, Monocular, with double	
nose piece, High power objective	
2 eye-pieces, mechanical stage and condensor	60
Oil immersion lens for above	60
Polarising attachments for microscopes	1
Micrometers, ocular	1
Demonstration eye pieces	6
Magnifying lens	6
Blood pressure instrument	
Micrometer stage	2 2
Hot plat electric	2
Laboratory Counter nine keys clay Adams	6
Laboratory stirrer	1
Automatic timer	2
Balance for weighing organs	1
Saws, wire for cutting bones	1
Slide boxes for 100 slides for students	120
Drill for boring glass	2
Blow piece with bellows for bending glass	2
Microphotographic apparatus	1
X-ray viewing box	2
Double Demonstration Eye piece	2
Microprojection apparatus	2
Sternal puncture needle Adulet size	2
Sternal puncture needle child size	2 2
Liver Biopsy needle	2
1 5	2
Box weight analytical	2 6
Stop watch reading at 1/5 second.	0
Ultraviolet lamp.	1
pH Meter electric.	
Microscope, Binacular, research.	1
Paper Electrophoresic apparatus vertical	1
Paper electrophoresis apparatus, horizontal	1

 Water still electric 2 x 2 slide Projector. Overhead projector Museum jars. Drawing instruments and colours for photo artist Surgical instruments. Dark room lamp, developing troughs Chemicals etc. for photo artist Glassware, stains, chemicals reagents etc. for Histological work. 	1 2 1 As required 1 set 1 set 1 set
<u>Clinical Laboratory:</u> Microscope high power with oil immersion lens moveable stage and condensor for the routine microscope work. Bottles Sp. Gravity 25 cc Micro burretes 5 cc PH meter, with ultra micro blood PH electrodes and Electrical Contrifuge One higher power contrifuge for serological works, one for haematological work and one other	15 2 2 3
Incubator Haemacytometers with red and white pipettes Haemoglobinometers, Sahili'type Sedimentation apparatus-one wester green and one wintrobole Syringes disposable one set from 10 cc to 2cc 30 of each	1 60 60 2 sets As required
Staining jars for slides. Urinometers Albuminometers, esbachs & Aufrech's type Urine Glasset (Conical) Water baths with lids and holes thereon for holding test tubes etc. Centrifuge tubes graduated Crusible with china ltd. Crusible Gooch with adapter Graduated cylinders for various capaciies ranging from 100 cc to 1000 cc. Pipettes of various sizes, graduated sets	12 9 1 12 2 36 2 2 6 of each. As required

Reagent bottles.	As required
Dropping bottles	As required
Dropping bottles 4 ounce	As required
Reagents	As required
Balances-(1) Sensitive balance	2
(2) Chemical balance with weight boxes	2

(5)<u>DEPARTMENT OF MICROBIOLOGY</u>

Incubators, electrical (large)	4
37 degree Celsius ∫ Autoclave	3
Hot air sterliser	3 2
Serum inspissators	2 2
Balance, Chemical	
Lovibond comparators	1
Flasks flat bottom 50 cc.	6
Microscope oil-immersion moveable	
stage Abbe, condenser etc.	55
Refrigerators	3
Micrometer eye pieces	2 2 2
Micrometer stage	2
Centrifuge, electrical high power	
Refrigerated centrifuge	1
Distilled water plant	2
Distilled water plant all glass	1
Oil immersion lens for students microscope.	55
Oil immersion lens for students microscope. Dropping bottles for stains (Plastic)	55 500
Dropping bottles for stains (Plastic)	
Dropping bottles for stains (Plastic) Staining troughs	500
Dropping bottles for stains (Plastic) Staining troughs Anaerobic apparatus	500 60
Dropping bottles for stains (Plastic) Staining troughs	500 60 3
Dropping bottles for stains (Plastic) Staining troughs Anaerobic apparatus Electrophorosis complete set	500 60 3 1
Dropping bottles for stains (Plastic) Staining troughs Anaerobic apparatus Electrophorosis complete set B.O.D. incubator Laminer flow table	500 60 3 1 2
Dropping bottles for stains (Plastic) Staining troughs Anaerobic apparatus Electrophorosis complete set B.O.D. incubator Laminer flow table Ultra Violet (U.V.) Lamps	500 60 3 1 2 1
Dropping bottles for stains (Plastic) Staining troughs Anaerobic apparatus Electrophorosis complete set B.O.D. incubator Laminer flow table Ultra Violet (U.V.) Lamps Venereal Diseases Research Laboratory	500 60 3 1 2 1 1
Dropping bottles for stains (Plastic) Staining troughs Anaerobic apparatus Electrophorosis complete set B.O.D. incubator Laminer flow table Ultra Violet (U.V.) Lamps Venereal Diseases Research Laboratory (V.D.R.L.) shaker	500 60 3 1 2 1 1 2
Dropping bottles for stains (Plastic) Staining troughs Anaerobic apparatus Electrophorosis complete set B.O.D. incubator Laminer flow table Ultra Violet (U.V.) Lamps Venereal Diseases Research Laboratory (V.D.R.L.) shaker Computer unit	500 60 3 1 2 1 1 2 1
Dropping bottles for stains (Plastic) Staining troughs Anaerobic apparatus Electrophorosis complete set B.O.D. incubator Laminer flow table Ultra Violet (U.V.) Lamps Venereal Diseases Research Laboratory (V.D.R.L.) shaker Computer unit Overhead Projector	500 60 3 1 2 1 1 1 2 1 1
Dropping bottles for stains (Plastic) Staining troughs Anaerobic apparatus Electrophorosis complete set B.O.D. incubator Laminer flow table Ultra Violet (U.V.) Lamps Venereal Diseases Research Laboratory (V.D.R.L.) shaker Computer unit Overhead Projector Water bath (Serological) 37 degree Celsius	500 60 3 1 2 1 1 1 2 1 1 1 1
Dropping bottles for stains (Plastic) Staining troughs Anaerobic apparatus Electrophorosis complete set B.O.D. incubator Laminer flow table Ultra Violet (U.V.) Lamps Venereal Diseases Research Laboratory (V.D.R.L.) shaker Computer unit Overhead Projector Water bath (Serological) 37 degree Celsius Water bath (Serological) 56 degree Celsius	500 60 3 1 2 1 1 1 2 1 1 1 1 1
Dropping bottles for stains (Plastic) Staining troughs Anaerobic apparatus Electrophorosis complete set B.O.D. incubator Laminer flow table Ultra Violet (U.V.) Lamps Venereal Diseases Research Laboratory (V.D.R.L.) shaker Computer unit Overhead Projector Water bath (Serological) 37 degree Celsius Water bath (Serological) 56 degree Celsius Deep freeze (-20 degree Celsius)	500 60 3 1 2 1 1 1 2 1 1 1 1 1 1
Dropping bottles for stains (Plastic) Staining troughs Anaerobic apparatus Electrophorosis complete set B.O.D. incubator Laminer flow table Ultra Violet (U.V.) Lamps Venereal Diseases Research Laboratory (V.D.R.L.) shaker Computer unit Overhead Projector Water bath (Serological) 37 degree Celsius Water bath (Serological) 56 degree Celsius	500 60 3 1 2 1 1 1 2 1 1 1 1 1

Culture facilities

Thermometers (Assorted)	12
Glassware, such as pipettes burettes, beakers, conical flasks, petri dishes of different sizes, reagent bottles etc. Material for preparation of media Stains	As required As required As required
PH Determination apparatus Reagent bottles with stopper 2000 cc	2 12
1000 cc 500 cc	36 24
100 cc	60
Test tubers hard glass150 mm x 18 mm 100 mm x 12 mm 75 mm x 12 mm	10 Gross 20 Gross 20 Gross
beakers, conical flasks, petri dishes of different sizes, reagent bottles etc. Material for preparation of media Stains PH Determination apparatus Reagent bottles with stopper 2000 cc 1000 cc 500 cc 250 cc 100 cc 50 cc Test tubers hard glass150 mm x 18 mm 100 mm x 12 mm	As required As required 2 12 36 24 24 60 60 10 Gross 20 Gross

(6) <u>PHARMACOLOGY DEPARTMENT.</u>

Office tables small and big, office chairs, museum almirahs, study tables, staff room and library almirahs, stock almirahs, store room rack, lockers with coat hanger and drawers as required laboratory benches with coat hanger and drawers as required. Laboratory benches with cupboards and with racks for reagent bottles, water, gas and electric points, operation tables, as necessary.

EXPERIMENTAL PHARMACOLOGY

Starling's long extension kymographs with time markers.	- 3
The ideal Respiration Pump (500 cc. CAP.)	- 3
Brodi's operation tables	- 3
Incubators	- 2
Refrigerators	- 2
Assembly perfusion apparatus for mammalian heart	- 4
Standard power tables	- 3
Assembly for mammalian classes	- 4
Automatic electric recording drums	- 4
Mechanical Stromhur	- 2
Centrifuge.	- 2
Colorimeters	- 3
Canulas (different types)	- 48
Cautery machine, electric Blendsone	- 1
Varnishing Tray with foot lever	- 2
Four Unit isolated organ bath palmer F.67	- 1

Analgesiometer Smoking Burners Palmer A-291 and A-265 Tracheal Canula Metal Palmer E.76 Condons Drop Recorder – Palmer B-75 Prof.Inchleys Drop Recorder-Palmer B.78	- 1 - 1 - 4 - 1 - 1
Animal weighing:	
 a) Machine for small animals like rats and gunea pig b) Machine for big animals like dogs Dissection instruments and injection syringes (The experimental physiology laboratory can be used if available for the students) 	3 3 As required
 * Kymograph (students) Electric independent unit * Electric Motor ¼ with split pulleys * Shafting steel rod ¾" diameter and 18" long * Standard Shafting and fittings * Pulleys Muffs coupling for joining 2 pieces 	100 2 8 40 30
of the above mentioned shafting steel rods * <i>Not required in case of independent units.</i> X-blocks Hook grip rods Plain stand	12 As required As required 100
Apparatus for isolated rabbit intestine etc. Jacquets graphic chronometer Frog Boards Palmer c. 120 Jackson's Enterograph Hair Aesthesiometer-Palmer W.290 Long Extension for paper palmer A-130 Animal Balance Tripple Beam Manometers mercury Palmer C-200 Metronome Palmer B-5 Oncometer Kidney Oncometer Heart Copper Trays (10"x8"x1") Thermometer (upto 110 degree Celsius) Distillation apparatus Microscopes ordinary Working tables with racks each table 36' long Chemical Balance-Ordinary Apothecary's Chemical Balance-Sensitive Dissection instrument	100 2 100 3 2 2 2 6 2 2 2 6 2 2 2 100 100 4 4 4 6 2 2 2 As required

Plethysmograph assorted Pneumograph Palmer E Piston Recorder Palmer C.51 Tambours mareys Palmer C.5 & C.11 Tetanus Set Palmer H2O Stop Watches Jacquets Oxygen Cylinders with Trolleys 20 cu.ft Carbon-di-oxide cylinder Operating lamps-Phillips Animal trolley with 12 cages <i>Miscellaneous:</i>	4 1 1 4 1 12 4 2 4 4	
Electrodes, Ordinary and non polarisable, insulated wires, time markers, electric signals, Mercury manometer, perfusion apparatus, myograph lever, small pulley's upright stands and chemicals etc.	As required	
(c) Pharmacy Laboratory:		
Dispensing Balance with metric system weights Pill Tiles Suppository moulds Procelain dishes Crucibles with tongs Pestle and Mortar Iron Spatula Iron Spatula Measure glass all sizes Water bath, metal	30 30 30 30 10 30 30 30 30 30 10	
Miscellaneous:		
Chemicals, drugs, glass rods, funnels and filter	As required	
(d) SPECIAL CHEMICALS AND PHARMACOLOGICAL EQUIPMENT		
Stimulator Electronic Arthus Thomas Balance Semi micro Analytical Pan Mottler Electrocardiograph Spectophotometer Model Du-Backman (UV Visible range) Skin and Rectal Thermometer Barun Antihistamine Chamber with manometer Flame photometer	1 1 1 1 1 1	
rune photometer	*	

Stop clock Water bath 4 hole electrically heated Bell jars Assorted Petri dishes assorted Museum drugs specimen jars All glass distillation apparatus cap.2 litres Centrifuge Electric internation R.P.M. 3000 Microscope students type with mechanical	12 12 36 36 30 2 2
stage and oil immersion	4
Microscope lamps	4 1
Magnetic stirrer B.T.L. Autoclave electric	1
Waring Blender M.S.E.	1
Hot air oven size 14"x14"x14"	1
Incubator Electric Size 14"x14"x14"	1
Vacuum & Pressure Pump Cenco	2
Instruments Sterilliser Electric size 12" x 8"x6"	0
B.P. Apparatus Distilled water still Manesty Electrical Cap.	8
2 gallon per hour	2
Stethescope	8
Multimeter	1
Temperature controlled water bath 37 °C	1
Razor Hone	2
Electric Hot Plate	2
Deionizer-two of capacity 20 litres per hour and 6 litres per hour (mixed bed type) connected in series	2
Physiographs with Transducers and other	
relevant accessories (may substitute kymographs)	40
Vortex mixer	2
Actophotometer	1
Rotarod Assembly	1
Electro-Convulsiometer Cook's Pole Climbing Apparatus	1 1
Metabolic Cagges (Dieuretic Study)	3-4
Digital pH meter	1
Tablet Disintegration Machine Glass tubing (length of 6 ft.	.)1
Glass rods-assorted sizes of 6 ft.	100
Glass mortar & pestles	24
capacity of 500 and 200 cc	Each
Cork borer set of 12	1 set 110
Holder for platinum wireloop Lancet spring (disposable)	110
Europe spring (dispositore)	110

Lamp for microscope Magnifying glass with metal handle Metal mincing machine Postmortem instruments sets complete Suction pumps Filtering apparatus sietz filter and Millipore filter Dessicators Vacuum Desicators Apron plastic for postmortem Apron rubber for postmortemt	As required 60 1 2 set 1 1each 2 1 2 2
Metal mincing machine	1
Postmortem instruments sets complete	2 set
Suction pumps	1
Filtering apparatus sietz filter and Millipore filter	1each
Dessicators	2
Vacuum Desicators	1
Apron plastic for postmortem	2
Apron rubber for postmortemt	2
* Lyophilizer	1
*Thermal Cycler	1
*U.V. Transilluminator with photography	1
* Colony counter	1
* Cold room + 4 degree Celsius	1
* BACTEC system	1
* Phase contrast Microscope	1
*Vortex mixer	1
* Electronic Balance	1
* Microfuge	1
* Ultra centrifuge	1
* Flourescent Microscope	1

* Desirable additional equipment in the department of Microbiology.

(7) <u>DEPARTMENT OF FORENSIC MEDICINE</u>

Weighing machine, dial type human	2
Equipment for reporting height	2
Balance chemical	1
Balance, single pair for weighing foetus	1
Weighing machine for Weighing dead bodies	
Weighing machine for organs	2
Folding metal scale to measure upto 7 ft.	1
Steel tape roll	2
Warnier calipers	1
Autopsy table	2
Styker autopsy saw, with accessories	3
Hacksaw	4
Dissection sets, consisting of cartilage knife	
bone cutting forceps scissors, straight and curved	
Enterotome Scaples, knives with spare blades,	
probe metal scale graduated in cms. Etc.	4
Rib. Shears, right and left	4
Viscerotome with attachment for illumination	

(Battery operated)	1
SLR camera with accessories	1
Microscope student type	25
Microscope Binocular, research	3
Stopwatch	3 2
X'ray view box one in four	4
View Box Two in one	3
B.P. Apparatus	4
Anthropometric set	1
Automatic tissue processing machine	1
Microtome with knife	1
Hot plates	1
L.Modes	16
Leather Strops	2
Parafin Bath Embedding	1
Slide Warming Table	1
Stone Carbarandon	2
Water bath (Tissue Flowing)	1
Distilation plant	1
Brain knife	8
Black Holder	50
Digital Spectrometer	1
Digital PH meter	1
Electric Auto slide projecter	1
Glass cutting Pencil	1
Hand Set heat Sealer	1
Spectroscope Lens with adjustable slit	2
Refrigerator	1
Cold Storage for keeping dead bodies	As required
Deep freezer for keeping tissues	As required
Video Camera, Television and	
Video Cassette Recorder	1 each
Instrument Cabinet, instrument, trolly, filing cabine	
with folders, filing cabinets for almirahs etc.	As required

(8) DEPARTMENT OF COMMUNITY MEDICINE

Comparator, Nessler	1
Barometer, Fotin	1
Extraction Apoparatus, fat, complete	1
Filter, Pasteur chamberland, complete set	1
Filter, berke fed	1
Hydrometres, Spirit	3
Hydrometres, milk	3
Hydrometers, wet and dry BULB	1
Incubator, electric	1

-	s required s required
Capacity 2 Kg.	
Centrifuge clinical	
Weighing machine adult 4	
Salters Baby weighing machine 4	
Harpenders Callipers (for skinfold thickness) 2	
Height measuring stand 1	
Aqua guard 1	
Refrigerator 9 cu.ft. 1	
Ice Lined Refrigerator (I.L.R.) 1	
Dissecting microscope 30)
Microscope oil immersion 2	
T.F., V.C.R. 1 (each
Still for distilled water 1	
Autoclave 1	
Sterilizers, electric 2	
Computer 1	
Over Head Projector 2	

The Rural and health centers for training of undergraduate students shall be suitably equipped alongwith adequate transport.

B. <u>CLINICAL DEPARTMENTS</u>

The list of equipment for clinical departments both indoor and outdoor, may be prepared by the Heads of departments, who would keep in view the needs for:-

(1) Special examination with diagnostic aids and investigations such as laboratory, X-ray, etc.

- (2) Routine treatment, medical and surgical etc.
- (3) Special therapy such as physical, occupational, dietetic etc.

The following equipments for various clinical departments are however the minimum required.

(1) <u>DEPARTMENT OF MEDICINE</u>

B.P. Apparatus	30
Ophthalmoscope	8
Lumbar puncture needles (disposable)	As required
Haemocytometer	4
Light Microscope	2
Haemoglobinometer	4

Centrifuge Machine	2
Urinometer	2
Plural biopsy needs (disposable)	As required
Liver biopsy needs (disposable)	As required
Kidney Biopsy needs (disposable)	As required
X-ray viewing box	20
Overhead projector	20
Slide Projector	2
Upper Gl endoscope	2
Colonoscope	2
Sigmoidoscope	2
Proctoscope	8
Facilities for doing tests for malabsorption	
Ultra sound machine	As required
	2
Fiberoptic bronchoscope	2
Spirometer Bed side Cardiac monitors	-
	12
Central Cardiac monitor Console	1
Defibrillator	12
Non-invasive B.P.Apparatus	12
Pulse oxymeter	12
Equipment for ardiac pacing	1
Ambu bag	12
Laryngoscope	12
ECG Machine	12
Echocradiography machine	2
Tread Mill test machine	1
Haemodialysis machine	4
Peritoneal dialysis catheters	As required
Areterial blood gas analyzer	2
Na/K analyzer	2
Equipment for measuring diffusion capacity	1
Microprocessor based spectrometer	2
Gamma cameras	1
Glucometer	8
Radiosotope scan laboratory	1
Electro Encephalogram (EEG) machine	1
EMC and nerve conduction velocity machine	1
Fine needle aspiration needle	As required
Aspiration needle	As required
Torches	30
Patient examination table	30
Rubber Hammer	30
Reagents for doing Gram's and Ziehl Neilson stain	ing As required
Computer (one for each medical unit)	4
Radiopagers	30

Endotracheal tubesAs requiredEmergency lights8

(2) DEPARTMENT OF PAEDIATRICS

(A) <u>Resuscitation equipments:</u>	
Ambu bag -infant	4
-children	4
Face mask	4
Nasal prongs	As required
Nasal catheters	As required
Endotracheal tubes	As required
Suction apparatus	1
Suction catheters	As required
Laryngoscope	i is requirea
- Infant	1
- Children	1
	-
(B) Oxygen Delivery System-	
Oxygen Cylinder	1
Oxygen regulator	1
Oxygen Humidifiers	1
Oxygen headbox (of each size)	1
Nebulisers	8
(C) Drug Deliver Equipment/ Catheter/tube-	
Intra-venous (I.V.) Drip set	As required
Measured volume	4
Blood transfusion set	4
Intra-venous (I.V.) Canula (Butterfly type)	As required
Intracath	8
Umbilical vein Catheter	8
Feeding tubes	As required
Three way and four way valve	4
Malecot's catheter	8
Cut open canula	As required
(D) Measurement Equipments	
Weighing machine	
- Infant	1
-Child	1

- Neonates Infantometer Measuring tape Shakir's tape	1 1 As required As required
 (E) Work lab and investigations Student Microscope Nuclear Chamber Hemoglobinometer Test tube Spirit lamp Stains for – Leishman's staining - AFB staining - Grams staining Dextrostix Multisix Uristix Micro Erythrocite Sedimntation Rate (ESR) Filter paper Bone marrow needle Lumber Puncture (L.P.) Needles 	As required 4 4
Pleural aspiration needle Vim-Silveram	4
Biopsy needle Mengneiz Needle True cut Renal	4
Biopsy needle X-ray view box F) <u>Miscellaneous</u>	1
Radiant Warmer Infant incubator Phototherapy unit Ophthalmoscope Thermometer-Oral -Rectal	1 1 1 1 As required As required

(3) DEPARTMENT OF DERMATOLOGY-VENEROLOGY AND LEPROSY

Facilities for examining smears for bacteria, Fungi, mycobacteria and acantholytic cells

- (a) Light microscope with facility for dark ground illumination microscopy
- (b) Gram's stain
- (c) Zeihl-Neelsen's stain
- (d) Giemsa stain

Facilities for electrosurgery and chemosurgery

- Electro-cautery machine Trichloracetic acid (a)
- (b)

4) DEPARTMENT OF PSYCHIATRY

Electro Convulsive Therapy	
(E.C.T.) machine preferably with ECG monitoring	2
E.E.G. monitoring	1
ECG machine	1
EEG machine	1
Lithium analyzer	1
Biofeed-back instruments (sets)	1
Thin layer chromatography	
(for drug dependence treatment)	1
Alcohol breath analyzer	1
Psychological Tests equipment	
a) Project tests	3
b) Intelligence Tests	3
c) Personality Tests	3
d) Neuro psychological tests	3

(6) DEPARTMENT OF SURGERY

(i) <u>O.P.D</u>

Blood Pressure Apparatus, Stethoscope,	
diagnostic kit, weighing machine,	
skinfold caliper, eight scale.	6
X-ray viewing box 4 in 1	6
Proctoscope & Gabriel Syringe	6
Sigmoidoscope (Rigid)	2
Flexible Endoscope, Upper Gl,	2
Colonscope (one set in Main O.T.)	
Diagnostic Crystoscope	1
Ultrasound	1
Uroflowmetry	1

(ii) MINOR O.T.

Operation Theatre Table	2
Operation Theatre Ceiling light	2
Pedestal lights	4

Electro-surgical unit	1
Suction	4
Pulse oximeter (one for Endoscopy Room)	4
Anaesthesia Equipment	1 set
Resuscitation kit	1
Assorted surgical instrument for	
minor operation sets	12
Autoclave	1

WARDS

B.P. Apparatus, Stethoscope, diagnostic kit	
(4 sets in each ward)	16 sets
Weighing machine, height scale, skinfold Caliper	
(2 each in each ward	8
Proctoscope (2 in each ward)	8
Monitors for pulse rate, Heart Rate,	
E.C.G., Invasive and non-invasive pressure	
(2 in each ward)	8
Incubators/Transport incubators	4
Neonatal Bassinet	4
Ultrasound	1
Arterial blood analyzer	1
Oesophageal/Gastric pH & pressure recorder	1

(iii) OPERATION THEATRE

Operating tables	8
Operating Ceiling light	8
Paedestal side light (for emergency use)	4
Electrosurgical Unit	10
General Sets (8 for each Operation Theatre)	64
Burr hole set	2
Vascular set (1 in each O.T.)	8
Anaesthesia Equipment as per requirement of	
Anaesthesia department Diagnostic and	
operative laparoscope	2
Crystoscope and Resectoscope	2
Bronchoscope	1
Flexible G.I. Endoscope	1
Laser (May be shared with other departments)	1
C-arm image intensifier	1
Operating microscope-binocular with Video monitor	1
Operative ultrasound	1
Stapling device Assorted	2 sets
Endo-stapler	1 set
Closed Circuit T.V.	2

(iv) MISCELLANEOUS

Photocopier	1
Computer with laser Printer	1
Electronic Typewriters	2
Slide-Projector	4
Overhead projector	6
Video Cassett Recorder/video Cassette Player	2

(7) DEPARTMENT OF PAEDIATRIC SURGERY

Democitation eminant	
Resuscitation equipment	_
-Ambubags	4
-ET Tubes (all sizes 2.5-8)	8 sets
-Guedell's airway (all sizes)	4 sets
-Laryngoscope	4
Suction Catheters assorted sizes	20 sets
Suction machines	4
Oxygen cylinders Oxygen	8
B.P.Apparatus	8
Slow suction machine	3
Nebulizer	3
Heater	3
I.C.U. equipment incubator	3 sets
Operation Theatre equipment	2
Cystoscope-Paediatrics	2
Rigid Bronchoscope (sets)	2
Oesophageal dilators (sets)	2
Paediatrics Sigmoidoscope	2

(8) DEPARTMENT OF ORTHOPAEDICS

Basic instrumentation set for fracture.	5 sets
Small Fragment and large fragment	3
External Fixator	6
C-Arm (Image Intensifier)	2
Portable X-ray Machine	1
Arthroscope	1
Slide Projector	2
Over-head projector	2
Movie Camera for demonstration of live operations	1
Plaster room equipment (sets) with plastic table.	2

(9) DEPARTMENT OF OPHTHALMOLOGY

Basic instrumentation set for fracture.	5 sets
Small Fragment and large fragment	3
External Fixator	6
C-Arm (Image Intensifier)	2
Portable X-ray Machine	1
Arthoscope	1
Slide Projector	2
Over-head projector.	2
Movie camera for demonstration of live operations.	1
Plaster room equipment (sets) with plastic table.	2
Physiotherapy and occupational therapy	
equipment sets	1
Operation room equipment (sets)	2

(10) <u>DEPARTMENT OF ENT</u>

(i) <u>OPD</u> (per doctor)

Nasal Speculum	4
Tongue depressor	4
Laryngeal mirrors	4
Nasopharyngeal mirrors	4
Aural speculum	4
Ear Suction	2
Nasal Suction	2
Suction apparatus	1
Siegles speculum	1
Tuning fork (512 Hz)	1
Otoscope	2
Bayonet forces	1
Bulls lamp	1
Head lamp	1
ENT examination chair	2
Jobson Horne probe	1
Sterilizer	1
BP apparatus	1
Stethoscope	1
•	

(ii) MAJOR Operation Theatre.

(a) Tonsillectomy and adenoidectomy set	
Biopod	1
Boyle-Davis mouth gag	1

Tonsil holding forceps Tonsil dissector and pillar retractor Tonsil snare Burkit artery forceps Negus artery forceps Tonsil scissors Adenotome Adenoid curette Yankauer oropharyngeal suction tip	$ \begin{array}{c} 1 \\ $
(b)Set for nasal bone fracture Asch forcepsWalsham forceps(c) Septoplasty set	1 1
Bayonet forceps Killians nasal speculum Freer elevator Ballenger's swivel knife Takahashi forceps Fish tail gouge and mallet	1 1 1 1 1
(d) Caldwel luc setNasal gougeMalletRibbon RetractorCheek Retractor	1 1 2 2
(e)Antrostomy set Antral Retrograde gouge Antral rasp (f)*FESS set	1 1 1
 *Rigid nasal endoscope 0 *Light source *Sickle knife *Retrograde punch *Blakesley forceps – straight - upturn * Optional for MBBS. 	1 1 1 1 1
g) Direct laryngoscopy set Anterior commissure Laryngoscope` Negus laryngoscope Lighting system for laryngoscopes Biopsy forceps Foreign body removal forceps Laryngeal suctions	1 1 1 1 1 1

(h)*Microlaryngoscopy set

*Kleinsasser's laryngoscope *Fibroptic lighting system	1 1
*Suspension system for Laryngoscope	1
*Microlaryngeal cup forceps	1
* Microlaryngeal Scissors	1
i) *Tympanoplasty set	1
1) I ympanopiasty set	
*Aural speculum	4
*Drum curette	2
*Drum elevator	1
*Microsuction	2
*Graft knife	1
*Graft press	1
	-
(j)*Mastoidectomy set	
* Mallet	1
*Gouge	4
*Endaural retractor/post aural retractor	2
*Electric drill (motor, handpiece and burrs)	1
*Mastoid seeker	1
*Aditus seeker	1
* Malleus head nipper	1
(k) *Stapedctomy set	
*Pick-straight	1
Angled	1
*Perforator	1
*Measuring rod	1
*Prosthesis crimper	1
•	
(l) *Oesophagoscopy set	_
Oesophagoscopes	3
Lighting	1
Biopsy forceps	1
Foreign body removal forceps	1
Suction	1
Oesophageal dilators	1 set
(m) * Bronchoscony set	
(m) * Bronchoscopy set *Pronchoscopos	3
*Bronchoscopes	
*Lighting system	1
* Biopsy forceps	1
* Foreign body removal forceps	1

*Suction	
* Optional f	or MBBS

(n) Tracheostomy set

(n) Tracheostomy set	
Needle holder Bard Parker knife handle Ribbon right angled retractors Curved arteries Straight arteries Cricoid hook Tracheal dilator	1 1 2 4 1 1 1
(iii) MINOR Operation Theatre	
 (a) Antral wash set Trocar Canula Higginsons syringe (b) Direct laryngoscope set Laryngoscope – Anterior Commissure 	2 2 2 1
Negus Lighting system Biopsy forceps Foreign body removal forceps Sterilizer Aural Syringe Tracheostomy set Intubation set Cricothyrotomy set Quinsy forceps Aural Snare Aural cup forceps	1 1 1 As required As required As required As required As required As required As required As required
(iv) *WARDS	

* Semi intensive care unit (4 beds)	As required
* Central suction	As required
* Oxygen	As required
* Humidifier	As required
* Optional for MBBS	As required

(V) MISCELLANEOUS EQUIPMENTS

1
1
As required
As required

SPECIAL EQUIPMENT

(a)* Temporal bone lab Microscope

(b) * Drill	1
Mastoid set *Optional for MBBS	1

(vi) ANY OTHER ADDITIONAL EQUIPMENT WHICH ARE DESIRABLE

Flexible nasopharyngolaryngoscope	1
Electronystagmograph	1
Brainstem evoked response audiometer	1

Goggles, plastic apron, gloves for examination of patients with biohazard (HIV and Au positive) 1 set

(11) DEPARTMENT OF OBSTETRICS AND GYNAECOLOGY

Speculums and retractors	50
EA + ECC sets	20
PCT forceps	10
Ayers spatula	30
Cytology bottle	30
Microscope	2
MR Syringes	10
Coloposcope	2
Cryo/electro cautery apparatus	2
Simple fetal Droppler	2
NST machine	4
Stitch removal sets	10
Dressing sets	10
Ultrasound machine	2
Proctoscope	6
Weighing machine	2
Height scale	2
View box	2

(Blood Pressure apparatus, measuring tapes,	
gloves, syringes, needles, torch)	
Resuscitation tray	2
(Laryngoscope, ET tube, ambu	
bag, suction catheter, essential drugs).	
Suction machine	2
Hysterosalphigogram Canula	8

(ii) MAIN Operation Theatre

Abdominal Hysterectomy set (Alteries, scissors, Scalpel, Allis's kelly's clamp, badcock forceps, thumb forceps, Harington & Richardson retractors.)

Vaginal Hysterectomy set 6

(Scalpel, scissors, metal catheter, Sim's, Speculum volsellum, Kelly's clamps, right angle retractor, arteries, Allis, uterine sound, bladder sound).

Tuboplasty set	4
Myomectomy instruments	
(Myoma screw, Boney's clamp)	2
Diagnostic laparoscopy set	4
Operating laparoscopy set	4
Hystroscopy set	2
Electronic Carbondioxide insuffator/	4
Insuffator basic unit	
Resctoscope	2
Hyseromat	2
Operatin microscope/Loupe	2
Electrocautery	3
iii)SPECIAL EQUIPMENT	
Contact microhystroscope	1
Co2 & Nd Yag laser	1
(iv)LABOUR ROOM	
Delivery sets	20
B.P. Apparatus	6
Weighing machine	2
Fetal Doppler	2
Cardiotocogram machine	2 5
Portable ultrasound	2
High suction machine	2
Resuscitation tray	2

v)SPECIAL EQUIPMENT

Oxytocin infusion pumps	6
Multichannel monitors	4
Intrauterine Pressure monitoring system	4
*Fetal scalp electrodes Facilities for fetal scalp pH	3

(vi)TEACHING SET	
Doll and Dummy	2
Female Pelvis	2
Gross specimens	
X-ray/US films	2
View box	
VCR	2
Overhead Projector	1
Slide Projector	2
Set of instruments/forceps etc.	

(vii)Miscellaneous.

Camera with 200 m lens Endocamera/Television ,TTL flash light, Carbondioxide Monitor, Calculator Channelizer, *Disposables, to be issued on monthly basis.

4

(viii)MINOR Operation Theatre.

(implifier operation include.	
Cervical biopsy set	8
MTP set	10
D&C set	10
Hydrotubation set	4
IUCD insertion/removal set	15
High suction machine	3
Resuscitation tray	1
E.B. set	10
(O.T. lights, OT tables)	
xi)MATERNITY O.T.	
Set for LSCS	10
D&C set	10
MTP set	10
High suction machine	4
Cervical exploration set	4
Uterine packing forceps	4
Abdominal hysterectomy set	2
Diagnostic laparoscopy set	4
Laprocator for tubal ligation	4
Postputum ligation	4
Outlet forceps	6
Low mid cavity forceps/kjielland forceps	6

Vacuum Extractor and suction machine

Resuscitation tray	2
Decapitation hook	2
Cranioclast with cephalotribe	2
Oldham Perforator	1
Infusion Pump	6
EB set	6
Operation Theatre table, Operation	n Theatre lights, Central Oxygen and suction

(x) SPECIAL EQUIPMENT:

Multichannel monitor with ECG, BP, HR, Pulse oxymetry for high risk pregnant patients (eclampsia, heart diseases etc.)

(xi) WARDS	
Blood Pressure Apparatus	6
Weighing machine	1
Height scale	1
Speculum and retractors	60
Glucometer	2
Microscope	2
Suture removal sets	10
Dressing sets	15
Ultrasound	2
Cutdown sets	2
Blood gas analyzer	1
CTG machine	2
Suction machine	3
Resuscitation tray	3
View box	2
(xii) SPECIAL EQUIPMENT	
Ultrasound machine with	
Doppler/Vaginal probe/facilities for	

Doppler/Vaginal probe/facilities for	
Interventional procedure	1
Multichannel Monitor	1
Fetal Monitor for	
Antepartum Surveillance	3
Computer for data entry	1
(Gloves, Syringes, needles, torch, measuring tape etc.)	

(xiii) Laboratory equipment for following investigations:
H-gram
Urine examination
Semen analyses
Renal Function Test (RFT), Liver Function Test (LFT), including Serum Blutamase Test (SBT),

Electrolytes, Blood sugar Culture facilities 24 hr. urine alb. Creatinine VDRL, TORCH HIV Serum, BHCG, estriol, MSAFP Semen wash FSH, LH PROCLACTIN, T3, T4, TSH, Testosterone, DHEAS Chlamydia and other reproductive tract infection testing.

GENETIC LAB.-Cytology, Chromosome study, PCR for various abnormalities. Facilities for biochemical tests and enzyme studies for prenatal diagnosis. Blood gas analyzer Thalassemia study. ABO and Rh typing. PCR for tuberculosis. Viral markers for Hepatitic studies. Coagulation profile, fibrinogen degradation products, Blood bank facilities. Cryopresservation. Assisted reproductive techniques.

> 2 2

(12) DEPARTMENT OF ANAESTHESIOLOGY

OPD-Anaesthesia Clinic

Pulse oximeter

E.C.G. Monitor

Blood Pressure Instrument (Non-invasive) Weighing machine Height scale Ward (Recovery)	1 1 1
Resucitation equipments (CPR)	
a) Adult Dummy	1
b) Paediatric dummy	1
c) Artifical breathing	
Bag with face Masks.	
d) Defibrillator	
Suction machine	
-Electrical	5
-Manual	5
Oxygen therapy unit	4
	-

E.T.Co2 Monitor Simple anaesthesia machine with resuscitation equipments and accessories Mechanical Ventilator	1 1 2
 (13) <u>DEPARTMENT OF RADIO-DIAGNOSIS</u> Conventional X-ray Unit for routine X-ray and IVV. Mobile X-ray units- a) 30 MA b) 60 MA Fluroscopic unit 	3 3 3 1
Both conventional and image intensifying unit for gastro-enterology & gynae work etc. Ultrasonography equipment	2 2+1 additional unit independently for Obstetrics and Gynaecology.
CT Mammography (preferably) MRI (preferably)	1
(14) <u>RADIO-THERAPY</u>	
Examination Table ENT examination set up Gynae./pelvic examination tables	3 2 2
Treatment planning and mould room including i) Computerised treatment planning system ii) Simulator iii) Immobilization cast making system Brachytherapy setup	1 1 1
i) Manual afterloading intercavitory system (sets)ii) Manual afterloadingInterstitial/surface mould system (sets)	2 1
Teletherapy set-up Isocentrically mounted Rotational telecobalt	1

Unit minimum 80 cm SSD

Radiation Protection and Dosimetry set-up

i) Secondary standard dosimeter	
with ionization chamber	1
ii)Survey meter	1
iii) Area/Zone monitors	3
(by BARC)	
	As per the number of staff members in the

Radiotherapy department

i) Dual Photon energy linear accelerator with electrons and multileaf collimeter	1
ii) Remote controlled intracavitory system.	1
iii) Remote controlled interstitial system	1
iv) CT-Sim 3D treatment	1
planning system	
v) Isodose plotte (Automatic)	1
vi) Customised shielding	1
Block making system	
vii) Customised compensator making system	1
viii) Computerised Dosimetry system	1
ix)Thermoluminiscent dosimetry system	1
x) Intra operative Radiotherapy and stereotactic radio-	
therapy set up alongwith linear accelerator (multi leaf)	1

<u>N.B.</u> Normally one teletherapy unit should be provided for every 1000 new cancer cases. All radiation therapy equipments (tele/Brachy) should be BARC type approved with BARC Sanctioned layout/installation plan.

department

(15) PHYSICAL MEDICINE and REHABILITATION

1. Rehabilitation Diagnosis and treatment equipments including exercise set-ups.

- 2. Remedial and recreational set up.
- 3. Electrotherapy equipments.
- 4. Prosthetic-Orthotic Workshop equipments.

C. OTHER DEPARTMENTS 1) MEDICAL EDUCATION UNIT

2
2
1
1
1
1
1
2
1
As required

(2) DEPARTMENT OF AUDIO VISUAL AIDS

ARTIST SECTION

Drawing Board size 42"x27"	1
Drawing Board size 22" x 30"	1
Instrument Box steadler	1
Plastic Transparent Set square 10"	1 pair
Plastic Scale transparent 18:	1
Parallel ruler 18"	1
Proportional Compass.	1
Bowpen "Stanley" one for fine and one for thick line	2
"T" scale 24" wooden	1
"T" scale 48" wooden	1
Frenat curves Plastic 1 set of 12	1 set
Protractor Plastic Semiround 6" dia.	1
Kent paper size 22"x30"	12
Scolor drawing paper 22"x30"	12
Drawing paper Norway 72 lbs.	12
Water colour tubes "Winsor and Newton"	24
Postercolours in different shades.	13
Reeves Indian Black ink.	12
Water colour box "peliken" Sable Hari brushes 16	1
Series No. 00 to 6 and 10	8
Speed ball nibs style A.B.C. &D.	1 set
Crequil Nibs	12
Drawing Nibs 303 and 304	12
Clip holders.	6
Computer facilities	As required
*	1

(3)MODELLING SECTIONS AND PHOTOGRAPHY

Modeling Instrument box.	1
Saw for wood work.	1

Ben saw iron. Jamboor	1
Plier	1
Plier Goldsmith.	1
Scissors ordinary	1
Scissors Goldsmith	1
Hammer	1
Mortar Iron.	1
Buck et Iron.	1
Chisel.	1
Tagari Iron	1
E.I. Bowls.	4
Drill machine	1
Modelling clay	As required
Chalk clay.	As required
Multani clay.	As required
Yellow clay.	As required
Soft stone powder.	As required
Plaster of paris	As required
Old raddy	As required
Gum.	As required
Stand paper	As required
Plasticine.	As required
Wires G.I. copper and wire netting.	As required
Synthetic Enamel colours 1/16 gallon	As required
Oil colour brushes.	As required
Soap and coconut oil	As required
Epidiascope B & L or alatis.	4
Radiant Screen size. 72" x 72"	2
16 mm. Film projector bell and Howell	1
Camera Rollieflex automatic.	
Camera 35 mm. Contax 4/D with copying attachment	1
Microscopic attachment of Contax.	1
Micro Projectr Zeiss or B&L.	1
Enlarger Omega D 2.	1
Dark room and developing equipment	1 set.
35 mm. Slide projector	2
iewlex.	2

4) WORKSHOP AND ELECTRIC SECTION

Lathe machine 6" center height 10" automatic gear change box (heavy duty with gapped. 1 Lathe machine small 3" center height 8" automatic gear change box. German make. 1 Milling machine type with dividing head attachment 1 Stand Drill Machine electric1Shaping machine Bench model1Spraying painting composer max. pressure1140 lbs. & continuous pressure must be 30 lbs.1Complete with spray gun and pressure rubber tube1

Electric welding machine max. amperage 200 amp. With accessories electrode, holder, shade and	
earthing slip and extension wire.	1
Aceytlene welding with oxpacelylene bottle and	
complete set of torch	1
AVO's multimeter English make	1
Electric Soldering Henleys 250 watts, 60 watts,	
with two nose-one fine and one abroad	
Electric blower	1
Frequency generator	1
Ampere meter	1
Battery charger	1
Electroplating unit outfit	1
Carpenters section instrument and appliances	
including electric saw and sander	1 set
Glass blowing appliances	1

Note: -

- 1. All kinds of endoscopes shall be fibreoptic preferably with a videoscope.
- 2. For effective teaching and training facilities close circuit TVs (CCTVs) shall be provided in the departments of Microbiology, Pathology, and Surgery and other allied specialities including Gynaecology.
- 3. In order to make teaching hospital more effective, it is necessary that a periodical upgrading of the instruments in various departments and sections should be undertaken for which required financial support shall be rendered.

MEDICAL COUNCIL OF INDIA

AMENDMENT NOTIFICATION

New Delhi, the 20th October, 2008

No. MCI.34(41)/2008-Med./29543 - In exercise of the powers conferred by Section 33 of the Indian Medical Council Act, 1956(102 of 1956), the Medical Council of India with the previous sanction of the Central Government hereby makes the following regulations to further amend the "Minimum Requirements for 100 MBBS Admissions Annually Regulations, 1999" namely:-

- 1. These regulations may be called the "Minimum Requirements for 100 MBBS Admissions Annually Regulations (Amendment), 2008".
- 2. In the Minimum Requirements for 100 MBBS Admissions Annually Regulations, 1999, the following **additions / modifications / deletions / substitutions**, shall be as indicated therein:-
 - 3. In clause 3, at S. No. (2) the words "INCLUDING BIOPHYSICS" shall be deleted and

at S.No. (14), the words "INCLUDING PAEDIATRIC SURGERY" shall be deleted.

- 4. (i) In Schedule (I) Clause A.1.2 under the heading "Administrative Block", the words "examination hall (300 Sq.m.)" **shall be deleted**, the words (30 Sq.m each,) **shall be substituted** by "(100 Sq.m. each)" and the words "(40-50 Sq. m.)" **shall be substituted** by "(200 Sq.m.)".
 - (ii) Clause A.1.4 under heading "Central Library", shall be substituted as under:

"There shall preferably be air-conditioned Central Library (1600 Sq.m.) with seating arrangement for at least 200 students for reading and having good lighting and ventilation and space for stocking and display of books and journals. There shall be one room for 100 students inside and one room for 100 students outside. It should have not less then 7000 text and reference books. In a new medical college the total number of books should be proportionately divided on yearly basis in five years. The number of copies of textbooks in each subject of undergraduate teaching shall be ten. The number of journals shall be 100 out of which one-third shall be foreign journals and subscribed on continuous basis. e Journals membership should be encouraged. There shall also be provision for -

- a) Staff reading room for 20 persons;
- b) Rooms for librarian and other staff;

- c) Journal room;
- d) Room for copying facilities;
- e) Video and Cassette room;
- f) Air-conditioned Computer room with Medlar and Internet facility with minimum of 25 nodes."

(iii)Clause A.1.6 shall be substituted by the following:

"Auditorium/Examination Hall (Multi-purpose):

There shall be an auditorium-cum-examination hall of 800 sq.m. area in not more than three levels."

(iv) Clause A.1.9 shall be substituted by the following:

"Animal house:

Department animal house may be maintained by the department of Pharmacology. In addition to the animal house, experimental work on animals can be demonstrated by Computer Aided Education."

(v) Clause A.1.10 **shall be substituted** by the following:

"Incinerator

An incinerator Plant commensurate with hospital bed strength may be provided. Alternatively any other system approved by the respective State Pollution Control Board may be provided.

(vi) Clause A.1.11 shall be deleted.

(vii) Clause A.1.12 shall be deleted.

(viii) In Clause A.1.18, the following **shall be added**: "Arrangements must be made so that plumbers are available round the clock"

(ix) After Clause A.1.18, the following **shall be added**.

There shall be 6 laboratories (150 Sq.m.area each) which will be provided with continuous working tables. Every seat shall be provided with stainless steel wash basin. Every working table shall have drawer or steam proof top, and individual lighting. One preparation room each of 15 Sq.m. area shall be provided with all the laboratories.

There shall be two laboratories of 60 Sq.m. area each.

All of these laboratories may be used in common with various departments e.g. Histology and Histopathology; Biochemistry and Clinical Pharmacology; Heamatology and Pathology; Microbiology and Community Medicine.

5. (i) In Clause B.1.2 after the words "space for visitors", the following shall be added:"alongwith computer and internet facility in each department"

(ii) In Clause B.1.3 after the words "in the hospital", the following shall beadded "in addition to those in medical college/institution."

(iii) In Clause B.1.6, the words "Jr. Residents, Senior Residents, Registrarsetc." shall be substituted by "Jr. Residents and Senior Residents etc."

(iv) Clause B.1.7 **shall be substituted** by the following:

"There shall be a minimum OPD attendance of 4 patients (old & new) per

day per student intake of the subjects of Undergraduate curriculum at the time of

Letter of Permission. This should be increased in such a manner that at the end of

fourth year it comes to 8 patients (old & new) per day per student intake."

(v) After Clause B.1.9, the following shall be added:-

B.1.10: Dean, Medical Superintendent and each department shall have independent computer and printer facility.

B.1.11: Each and every college /institute shall have its own website wherein the following details updated in the first week of every month shall be provided:-

- a. Details of Dean, Principal and Medical Supdt. including their name, qualification complete address with telephone and STD code, fax and E-mail etc.
- b. Teaching as well as non-teaching staff.
- c. Details of the sanctioned intake capacity of various courses UG as well as PGs by the MCI.
- d. List of students admitted merit-wise category-wise (UG & PG) for the current and previous year.
- e. Any research publications during the last one year.
- f. Details of any CME programmes, conferences and/or any academic activities conducted by the institution.
- g. Details of any awards and achievement received by the students or faculty.
- h. Details of the affiliated university and its Vice-Chancellor and Registrars.
- i. Result of all the examinations of last one year.
- j. Detailed status of recognition of all the courses.
- k.. Details of clinical material in the hospital.
- Clause B.2.1 shall be substituted by the following: (i)

"The following accommodation shall be available with each ward, namely:.

- Accommodation in a General Ward shall not exceed 30 patients 1. and distance between the two beds shall not be less than 1.5m.,
- 2. Nurses Duty Room/Nursing Station.
- Ward should be constructed in such a way that the Nurse from her 3 Nursing Station is able to have an overview of all the patients in the wards.
- Examination and Treatment room. 4.

6

- 5. Ward Pantry.
- 6. Store room for linen and other equipment.
- 7. Resident Doctors and students Duty Room.
- 8. Clinical Demonstration Room.
- (ii) Clause B.2.2 shall be substituted by the following:
 - 1. Offices for Heads of Departments and Heads of Units.
 - 2. Accommodation for other unit staff.
 - 3. Clinical demonstration rooms (at least one for each department).
 - 4. Deleted.

Note: The size and number of staff rooms shall be as per the guidelines in the pre and para clinical departments for the prescribed number of staff members in a department.

- (iii) Clause B.2.3 shall be deleted.
- (iv) In Clause B.2.4 at S.No. (2), "Preparation room" shall be substituted by "Pre-Anaesthetic/Preparation room atleast 4 beds." and para (1 & 2) at S.No. 14 shall be substituted by "Two such units may be provided for General Surgery, one for ENT; one for Orthopaedics; one for Ophthalmology and one for Obstetrics and Gynaecology and one for septic cases".

Other surgical specialities shall have independent separate OT.

Additional space need to be provided for various Endoscopy procedures.

Minor Operation Theatre – one minor operation theatre in addition to above shall be provided for surgical departments in casualty/emergency unit and one such theatre in O.P.D.

(v) In Clause B.2.6 the following **shall be added**:

"The physical facilities for housing the laundry equipment shall be provided in the campus. However, services can be handed over the any agency but with overall supervision of Hospital Administrator".

(vi) Clause B.2.7 **shall be substituted** by the following:

"DEPARTMENT OF RADIO-DIAGNOSIS:

(1) The staff of Radio-Diagnosis department shall be covered by Personal Monitoring System of BARC.

Accommodation shall be provided for the following namely:

- (a) Room for 300mA, 500mA, 600mA. I.I.T.V. System, Fluroscopy System (36 sq.m.).
- (b) Ultrasound Room (15 sq.m.)
- (c) Room for 60 mA Mobile X-ray system (15 sq.m)

(d) Accommodation for CT Scan system. There shall be three equipment rooms, (examination room, control room, control room and computer room). In addition, a

service room for Electrical Panels, UPS and Servo Stablizer shall be provided. The total area requirement is 80 sq.m.

- (e) There shall be preferable a Magentic Resonance Imaging (MRI) system. The space requirement shall be according to the standard specifications.
- (f) Store room for X-Ray films related material (15 sq.m)
- (g) Museum (25 sq.m.)
- (h) Waiting room for patient, enquiry office and staff rooms for Professor & HOD, Assoc. Profs., Asstt. Profs., Residents, Tutor shall be provided as per requirement.
- (i) Accommodation for demonstration room shall be provided.
- (2) The room sizes for various Diagnostic Imaging Systems shall be as per the following provision of the Atomic Energy Regulatory Board Safety Code, namely:

"The room size of the room housing X-ray equipment must not be less than 25 Sq.m. for a general purpose X-Ray machine. In case of diagnostic X-Ray equipment operating at 125kV or above the control panel must be installed in separate control room located outside but contiguous to the X-Ray room. Rooms housing fluoroscopy equipment must be so designed that adequate darkness can be achieved conveniently when desired. Patient waiting areas must be provided outside the X-ray room and a dark room must be provided.

(vii) In Clause B.2.8, the word "should" be substituted by "shall".

Clause B8 shall be substituted by the following: "HOSPITAL WASTE MANAGEMENT Facilities for hospital waste management commensure

Facilities for hospital waste management, commensurate with the State Regulatory Authorities etc. shall be provided."

- 8. Clause B9 shall be deleted.
- 9. (i) Clause B.10.1 shall be substituted by the following:
 "There shall be sufficient number of quarters for covering 100 per cent of the total Sr. Residents and Jr. Residents as required."
 - (ii) Clause B.10.2 shall be substituted by the following:
 "There shall be sufficient number of quarters for covering at least 20% each of the Nurses, teaching and non-teaching staff."
- 10. In Clause B.11, Schedule II, Sub-clause no. 3 **shall be substituted** by the following: "These regulations cover the minimum requirements of under graduate medical

education. Additional teaching and non-teaching staff shall also be required in OPD,

Indoors, Operation theatres and Intensive Care areas where the work load involved in emergency patient care, clinical laboratory work/field work is heavy or is of a specialized nature"

11. Clause B12 "HOSTELS FOR STUDENTS" shall be substituted by the following:-

"The College/Institution should have at least provision for 75% of the total intake of students at a given time. Each hostel room shall not have more than three occupants. The size of such room shall not be less than 27 sq.mt. Each student shall be provided with an independent and separate furniture which shall include chair, table, bed and full size cupboard at the least. In case of single seated room it should be at least 9 sq. mt. Area. Each hostel shall have a visitor room, a study room with facilities for computer and internet and should be air-conditioned. There shall be a recreational facility room having T.V., Music, Indoor games etc. and messing facilities for the students."

Foot Note : The Principal Regulations namely, "Minimum Requirements for 100 MBBS Admissions Annually Regulations, 1999" were published in Part – III, Section (4) of the Gazette of India on the 29th April, 1999, vide Medical Council of India Notification No. 35(1)/1998-Med.(ii) dated the 30th March, 1999 and amended vide corrigendum dated 24th June,1999.

[Lt. Col.(Retd.) Dr. A.R.N. Setalvad] Secretary Medical Council of India

MEDICAL COUNCIL OF INDIA

AMENDMENT NOTIFICATION

New Delhi, the 1st December, 2008

No. MCI.34(41)/2008-Med./34787- In exercise of the powers conferred by Section 33 of the Indian Medical Council Act, 1956(102 of 1956), the Medical Council of India with the previous sanction of the Central Government hereby makes the following regulations to further amend the "Minimum Requirements for 100 MBBS Admissions Annually Regulations, 1999" namely:-

- 1. These regulations may be called the "Minimum Requirements for 100 MBBS Admissions Annually Regulations (Amendment), 2008 – Part-II".
- 2. In the "Minimum Requirements for 100 MBBS Admissions Annually Regulations, 1999", the following additions / modifications / deletions / substitutions, shall be, as indicated therein:-

3(i). In Schedule I Clause A.1.1 under the heading 'CAMPUS' **shall be substituted** with the following: -

"Companies registered under Company Act may also be allowed to open medical colleges. Permission shall be withdrawn if the colleges resort to commercialization.

The medical college or medical institution shall be housed in a unitary campus of not less than 25 acres of land. However, this may be relaxed in a place especially in Urban areas where the population is more than 25 lakhs, hilly areas, and notified tribal areas where the land shall not be in more than two pieces and the distance between the two pieces shall not be more than 10 kms. The hospital, college building including library and hostels for the students, interns, PGs/Residents and nurses shall be in one piece of land which shall not be less than 10 acres. Other facilities may be housed in the other piece of land. Proper landscaping should be done."

(ii). In Schedule I Clause A.1.4 under the heading 'Central Library', **shall be** substituted with the following: -

"There shall be an air-conditioned Central Library (1600 Sq.m) with seating arrangement for at least 200 students for reading and having good lighting and ventilation and space for stocking and display of books and journals. There shall be one room for 100 students inside and one room for 100 students outside. It should have not less than 7000 text and reference books. In a new medical college the total number of books should be proportionately divided on yearly basis in five years. The number of journals shall be 100 out of which one-third shall be foreign journals and subscribed on continuous basis. The number of copies of textbooks in each subject of undergraduate teaching shall be ten. There shall be provision for –

- a. Staff reading room for 20 persons;
- b. Rooms for librarian and other staff;
- c. Journal room;
- d. Room for copying facilities;
- e. Video and Cassette room (desirable);
- f. Air-conditioned Computer room with Medlar and Internet facility with minimum of 25 nodes.

Medical colleges should have skill labs and adopt information technology in teaching medicine. There shall be provision for e-library also."

(iii). In Schedule I Clause A.1.5 under the heading 'Lecture Theatres', **shall be substituted** with the following: -

"There shall be a minimum of **three lecture theatres preferably air conditioned**, of gallery type in the Institution out of which **two** will be of seating capacity for 120 students and one will be of capacity for 250 students each. Lecture theatre shall be provided with necessary independent audio-visual aids including overhead projector, slide projector, LCD projector and a microphone. These lecture theatres shall be shared by all the departments **in a programmed manner**. There shall be provision for E-class. Lecture halls must have facilities for conversion into E-class/Virtual class for teaching. The existing colleges shall introduce these facilities in their lecture hall within one year."

(iv). In Schedule I after Clause A.1.18, the following shall be added: -

"A.1.19 Central Research Laboratory

There shall be one well-equipped Central Research Laboratory in the medical college, which will be under the control of the Dean of the college. The existing colleges shall install the laboratory within two years. Each medical college shall have Pharmaco-Vigilance Committee.

A.1.20 Training of teacher in Medical Education Unit.

The period of training of a teacher in a Medical Education Unit shall be increased from one week to two weeks.

A.1.21 Rural Health Training Centre

Every medical college shall have one rural health training centre under Administrative control of Dean of the college for training of students in community oriented primary health care and rural based health education for the rural community attached to it. This health centre shall be within a distance of 30 km. or within one hour of commuting distance from the medical college. Separate residential arrangements for boys, girls and interns with mess facilities shall also be provided. Adequate transport (both for staff and students) shall be provided for carrying out field work and teaching and training activities by the department of Community Medicine."

4(i). In Schedule I Clause B.1.1 under the heading 'General Remarks' **shall be substituted** with the following: -

"A functional teaching hospital with 300 beds with at least 70% indoor bed occupancy should be available. There should be 80% bed occupancy at the time of inspection for first renewal and thereafter for subsequent renewals.

Lifts for the patients and ramp for fire protective services and for handicapped persons shall be provided in the hospital at the time of letter of permission. An electric generator of not less than 700 KVA shall be provided. A play area including T.V., Music, Toys, Books, etc. shall be provided for Peadiatric patients. All the teaching hospitals shall be under the academic, administrative and disciplinary control of the Dean/ Principal/Director who shall not be concurrently Head of Department but can be a component of teaching faculty in the concerned respective department."

(ii). In Schedule I Clause B.2.1 the following shall be added: -

"7. Accommodation in general ward shall not exceed 30 patients hall and distance between two beds shall not be less than 1.5 meters."

(iii). In Schedule I Clause B.5 under the heading 'CENTRAL CASUALTY DEPARTMENT' shall be substituted with the following: -

"There shall be well equipped and updated intensive care unit (I.C.U) -5 beds, Intensive Coronary Care Unit (I.C.C.U.)-5 beds, Intensive Care Paediatric/Neonatal Unit -5 beds and preferably Intensive Care in Tuberculosis and Respiratory Diseases. The number of beds in casualty trauma unit shall be 20. ICU should be located near casualty. These shall be functional at the time of inception of the college."

5. In Schedule II after Clause 6 under the heading 'DEPARTMENTWISE STAFF REQUIREMENTS – NON- CLINICAL' shall be substituted with the following: -

"DEPARTMENTWISE STAFF REQUIREMENTS - NON-CLINICAL

(1) DEPARTMENT OF ANATOMY

1.	Professor	1
2.	Assoc. Prof.	1
3.	Asstt. Prof.	2
4	Tutors/Demonstrators	4
5.	Technician	1
6.	Dissection Hall Attendants	4
7.	Store Keeper cum Clerk-cum Computer Operator	1
8.	Sweepers	2

(2) DEPARTMENT OF PHYSIOLOGY

1	Professor	1
2	Assoc. Prof	1
3	Asstt. Prof.	2
4	Tutors/Demonstrators	4
5.	Technician	1
6	Store Keeper cum clerk cum Computer operator	1
7	Sweepers	2

(3) DEPARTMENT OF BIOCHEMISTRY

1	Professor	1
2	Assoc. Prof.	1
3	Asstt. Prof.	1
4	Tutors/Demonstrators	4
5	Technical Asstt./Technician	2
6.	Store-Keeper cum clerk cum Computer operator	1
7.	Sweepers	2
8.	Lab Attendant	1

(4) DEPARTMENT OF PATHOLOGY

1	Professor	1
2	Assoc. Prof.	2
3	Asstt. Prof.	3
4	Tutors/Demonstrators	5
5	Technical Asstt./Technician	4
6	Lab. Attendants	2
7	Steno cum Computer Operator	1
8	Store Keeper cum Record Keeper	1
9.	Sweepers	2

(5) DEPARTMENT OF MICROBIOLOGY

1	Professor	1
2	Assoc. Prof.	1
3	Asstt. Prof.	2
4	Tutors/Demonstrators	3
5	Technical Asstt./Technician	7
6	Lab. Attendants	2
7	Store Keeper cum Record clerk	1
8	Steno cum Computer Operator	1
9	Sweepers	2

(6) DEPARTMENT OF PHARMACOLOGY

1	Professor	1
2	Assoc. Prof.	1
3.	Asstt. Prof.	2
4	Tutors/Demonstrators	2
5.	Laboratory Attendants	2
6.	Store Keeper cum clerk cum Computer operator.	1
7.	Sweepers	2

(7) DEPARTMENT OF FORENSIC MEDICINE

1	Professor	1
2	Assoc. Prof.	1
3	Asstt. Prof.	1
4	Tutors/Demonstrators	2
5	Technical Asstt./Technician	2
6	Laboratory Attendants	2
7	Steno Typist	1
8	Store Keeper cum clerk cum Computer Operator	1
9	Sweepers	4

Note:-1. In case of postmortem work of more than 500 annually, two additional Tutors/Demonstrators shall be provided.

(8) DEPARTMENT OF COMMUNITY MEDICINE

1 2	Professor Assoc. Prof.	1 2
3	Asstt. Prof.	2
4.	Epidemiologist-cum-Assistant Professor	1
5	Statistician-cum-Assistant Professor	1
6	Tutors/Demonstrators	4
7	Medical Social Worker	1
8	Technical Asstt./Technicians	1
9	Stenographers	1
10	Record keeper cum clerk cum Computer Operator	1
11	Store Keeper	1
12	Sweepers	1

Staff for Rural Training Health Centre (including field work and epidemiological studies.)

1	Medical Officer of Health-cum-lecturer/	
	Assistant Professor.	1
2	Lady Medical Officer	1
3	Medical Social Workers	2
4	Public Health Nurse	1
5	Health Inspector/Health Assistant (Male)	1
6	Health Educator	1
7	Technical Asstt./Technician	1
8	Peon	1
9	Van Driver	1
10	Store Keeper cum Record Clerk	1
11.	Sweepers	2
Urban	Training Health Centre	
	6	
1.	Medical officer of Health-cum-Lecturer/	1
	-	1
	Medical officer of Health-cum-Lecturer/	1 1
1.	Medical officer of Health-cum-Lecturer/ Assistant Professor	1 2
1. 2.	Medical officer of Health-cum-Lecturer/ Assistant Professor Lady Medical Officer	1 2 1
1. 2. 3.	Medical officer of Health-cum-Lecturer/ Assistant Professor Lady Medical Officer Medical Social Workers	1 2 1 2
1. 2. 3. 4.	Medical officer of Health-cum-Lecturer/ Assistant Professor Lady Medical Officer Medical Social Workers Public Health Nurse	1 2 1
1. 2. 3. 4. 5.	Medical officer of Health-cum-Lecturer/ Assistant Professor Lady Medical Officer Medical Social Workers Public Health Nurse Health Inspectors	1 2 1 2 1 2
1. 2. 3. 4. 5. 6.	Medical officer of Health-cum-Lecturer/ Assistant Professor Lady Medical Officer Medical Social Workers Public Health Nurse Health Inspectors Health Educator	1 2 1 2 1
1. 2. 3. 4. 5. 6. 7.	Medical officer of Health-cum-Lecturer/ Assistant Professor Lady Medical Officer Medical Social Workers Public Health Nurse Health Inspectors Health Educator Technical Assistant/Technicians	1 2 1 2 1 2
1. 2. 3. 4. 5. 6. 7. 8.	Medical officer of Health-cum-Lecturer/ Assistant Professor Lady Medical Officer Medical Social Workers Public Health Nurse Health Inspectors Health Educator Technical Assistant/Technicians Peon	1 2 1 2 1 2 1
1. 2. 3. 4. 5. 6. 7. 8. 9.	Medical officer of Health-cum-Lecturer/ Assistant Professor Lady Medical Officer Medical Social Workers Public Health Nurse Health Inspectors Health Educator Technical Assistant/Technicians Peon Van Driver	1 2 1 2 1 2 1 1 1

Note: The Urban and Rural Training Health Centres should be under the direct administrative control of the Dean/Principal of the college."

[Lt. Col.(Retd.) Dr. A.R.N. Setalvad] Secretary Medical Council of India

Foot Note : The Principal Regulations namely, "Minimum Requirements for 100 MBBS Admissions Annually Regulations, 1999" were published in Part – III, Section (4) of the Gazette of India on the 29th April, 1999, vide Medical Council of India Notification No. 35(1)/1998-Med.(ii) dated the 30th March, 1999 and amended vide corrigendum dated 24th June,1999 and further amended vide Notification dated 20th October, 2008.